



## Cornell Hotel Sustainability Benchmarking Index 2024

### Validity Testing: Energy and Water Fences

Validity tests are performed on the data provided by participants to identify outliers or data which might have been submitted incorrectly. Submitted data may not pass the validity tests because data is too high or too low based on the defined fences. Fences refer to the lower limit and upper limit thresholds determined based on the previous CHSB data set, representing the cut-off values for upper and lower outliers in the data set. Data that passed the validity testing is included in the CHSB data set to output benchmark ranges for 13 measures related to energy, water and carbon emissions:

Measure	Description
Measure 1	HCMI Footprint Per Occupied Room
Measure 2	Total carbon footprint of the property divided by number of rooms
Measure 3	Total carbon footprint of the property divided by number of OCCUPIED rooms
Measure 4	Total carbon footprint of the property divided by the total floor area in SQUARE METERS
Measure 5	Total energy usage of the property divided by number of OCCUPIED rooms
Measure 6	Total energy usage of the property divided by floor area of the property in SQUARE METERS
Measure 7	HCMI Footprint of Meeting Space Per Hour Per Square Meter of Meeting Space
Measure 8	Total water usage of the property divided by the total number of OCCUPIED ROOMS
Measure 9	Total water usage of the property divided by the floor area of the property in SQUARE METERS
Measure 10	HWMI Footprint Per Occupied Room
Measure 11	HWMI Footprint of Meeting Space Per Hour Per Square Meter of Meeting Space
Measure 12	Percentage of property's total energy that is generated from renewable sources (onsite)
Measure 13	Percentage of property's total energy that is generated from renewable sources (onsite + grid)

## List of Validity Tests performed on Energy Data

Properties in the following countries use country-specific thresholds, while properties in other countries use global thresholds (see “Other Countries”):

1. [Australia](#)
2. [Canada](#)
3. [China](#)
4. [France](#)
5. [Germany](#)
6. [India](#)
7. [Indonesia](#)
8. [Japan](#)
9. [Mexico](#)
10. [Thailand](#)
11. [United Kingdom](#)
12. [United States](#)
13. [Other Countries](#)

Energy data that passed the following validity tests are included in the data set for the associated measure.

Country	Description	High Threshold	Low Threshold	Associated Measures
All Countries	Property did not provide any water usage data	N/A	N/A	Measures 8-11
All Countries	Data did not have 12 separate water data points	N/A	N/A	Measures 8-11
All Countries	At least one energy or water source had a high variance of a ratio of 4 to 1 between high/low months or 80% month-to-month	N/A	N/A	Notified only, no action taken
Australia	Energy Per Occupied Room Outlier (kWh/ocrm) for full service luxury hotels in Australia	630	20	Measures 1,3,5,12
Australia	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper upscale hotels in Australia	270	30	Measures 1,3,5,12
Australia	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upscale hotels in Australia	200	20	Measures 1,3,5,12
Australia	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper midscale hotels in Australia	270	10	Measures 1,3,5,12
Australia	Energy Per Occupied Room Outlier (kWh/ocrm) for full service midscale hotels in Australia	270	50	Measures 1,3,5,12

Country	Description	High Threshold	Low Threshold	Associated Measures
Australia	Energy Per Occupied Room Outlier (kWh/ocrm) for full service economy hotels in Australia	300	20	Measures 1,3,5,12
Australia	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service luxury hotels in Australia	320	10	Measures 1,3,5,12
Australia	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper upscale hotels in Australia	320	10	Measures 1,3,5,12
Australia	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upscale hotels in Australia	320	10	Measures 1,3,5,12
Australia	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper midscale hotels in Australia	190	20	Measures 1,3,5,12
Australia	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service midscale hotels in Australia	110	10	Measures 1,3,5,12
Australia	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service economy hotels in Australia	90	10	Measures 1,3,5,12
Australia	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Australia	540	40	Measures 2,4,6,7,12
Australia	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Australia	330	60	Measures 2,4,6,7,12
Australia	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Australia with onsite laundry	440	50	Measures 2,4,6,7,12
Australia	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Australia without onsite laundry	560	40	Measures 2,4,6,7,12
Australia	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Australia without laundry data	200	120	Measures 2,4,6,7,12
Australia	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Australia with onsite laundry	760	20	Measures 2,4,6,7,12
Australia	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Australia without onsite laundry	240	100	Measures 2,4,6,7,12
Australia	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Australia without laundry data	760	20	Measures 2,4,6,7,12
Australia	Energy Per Square Meter Outlier (Kwh/M2) for resort in Australia with onsite laundry	600	160	Measures 2,4,6,7,12
Australia	Energy Per Square Meter Outlier (Kwh/M2) for resort in Australia without onsite laundry	1660	210	Measures 2,4,6,7,12
Australia	Energy Per Square Meter Outlier (Kwh/M2) for resort in Australia without laundry data	600	160	Measures 2,4,6,7,12

Country	Description	High Threshold	Low Threshold	Associated Measures
Australia	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Australia with onsite laundry	600	160	Measures 2,4,6,7,12
Australia	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Australia without onsite laundry	1660	210	Measures 2,4,6,7,12
Australia	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Australia without laundry data	600	160	Measures 2,4,6,7,12
Canada	Energy Per Occupied Room Outlier (kWh/ocrm) for full service luxury hotels in Canada	1480	110	Measures 1,3,5,12
Canada	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper upscale hotels in Canada	660	60	Measures 1,3,5,12
Canada	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upscale hotels in Canada	930	10	Measures 1,3,5,12
Canada	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper midscale hotels in Canada	330	20	Measures 1,3,5,12
Canada	Energy Per Occupied Room Outlier (kWh/ocrm) for full service midscale hotels in Canada	270	50	Measures 1,3,5,12
Canada	Energy Per Occupied Room Outlier (kWh/ocrm) for full service economy hotels in Canada	300	20	Measures 1,3,5,12
Canada	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service luxury hotels in Canada	250	30	Measures 1,3,5,12
Canada	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper upscale hotels in Canada	250	30	Measures 1,3,5,12
Canada	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upscale hotels in Canada	250	30	Measures 1,3,5,12
Canada	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper midscale hotels in Canada	210	10	Measures 1,3,5,12
Canada	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service midscale hotels in Canada	60	10	Measures 1,3,5,12
Canada	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service economy hotels in Canada	90	10	Measures 1,3,5,12
Canada	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Canada	1040	80	Measures 2,4,6,7,12
Canada	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Canada	650	60	Measures 2,4,6,7,12
Canada	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Canada with onsite laundry	1150	70	Measures 2,4,6,7,12

Country	Description	High Threshold	Low Threshold	Associated Measures
Canada	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Canada without onsite laundry	840	90	Measures 2,4,6,7,12
Canada	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Canada without laundry data	520	110	Measures 2,4,6,7,12
Canada	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Canada with onsite laundry	650	60	Measures 2,4,6,7,12
Canada	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Canada without onsite laundry	380	90	Measures 2,4,6,7,12
Canada	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Canada without laundry data	550	30	Measures 2,4,6,7,12
Canada	Energy Per Square Meter Outlier (Kwh/M2) for resort in Canada with onsite laundry	1570	80	Measures 2,4,6,7,12
Canada	Energy Per Square Meter Outlier (Kwh/M2) for resort in Canada without onsite laundry	800	100	Measures 2,4,6,7,12
Canada	Energy Per Square Meter Outlier (Kwh/M2) for resort in Canada without laundry data	1570	80	Measures 2,4,6,7,12
Canada	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Canada with onsite laundry	1570	80	Measures 2,4,6,7,12
Canada	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Canada without onsite laundry	800	100	Measures 2,4,6,7,12
Canada	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Canada without laundry data	1570	80	Measures 2,4,6,7,12
China	Energy Per Occupied Room Outlier (kWh/ocrm) for full service luxury hotels in China	630	80	Measures 1,3,5,12
China	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper upscale hotels in China	400	60	Measures 1,3,5,12
China	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upscale hotels in China	390	30	Measures 1,3,5,12
China	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper midscale hotels in China	360	30	Measures 1,3,5,12
China	Energy Per Occupied Room Outlier (kWh/ocrm) for full service midscale hotels in China	270	50	Measures 1,3,5,12
China	Energy Per Occupied Room Outlier (kWh/ocrm) for full service economy hotels in China	300	20	Measures 1,3,5,12
China	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service luxury hotels in China	700	40	Measures 1,3,5,12

Country	Description	High Threshold	Low Threshold	Associated Measures
China	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper upscale hotels in China	700	40	Measures 1,3,5,12
China	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upscale hotels in China	370	10	Measures 1,3,5,12
China	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper midscale hotels in China	100	10	Measures 1,3,5,12
China	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service midscale hotels in China	120	10	Measures 1,3,5,12
China	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service economy hotels in China	90	10	Measures 1,3,5,12
China	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in China	630	50	Measures 2,4,6,7,12
China	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in China	580	20	Measures 2,4,6,7,12
China	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in China with onsite laundry	610	60	Measures 2,4,6,7,12
China	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in China without onsite laundry	680	40	Measures 2,4,6,7,12
China	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in China without laundry data	290	30	Measures 2,4,6,7,12
China	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in China with onsite laundry	570	40	Measures 2,4,6,7,12
China	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in China without onsite laundry	370	30	Measures 2,4,6,7,12
China	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in China without laundry data	200	10	Measures 2,4,6,7,12
China	Energy Per Square Meter Outlier (Kwh/M2) for resort in China with onsite laundry	550	80	Measures 2,4,6,7,12
China	Energy Per Square Meter Outlier (Kwh/M2) for resort in China without onsite laundry	690	60	Measures 2,4,6,7,12
China	Energy Per Square Meter Outlier (Kwh/M2) for resort in China without laundry data	100	40	Measures 2,4,6,7,12
China	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in China with onsite laundry	550	80	Measures 2,4,6,7,12
China	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in China without onsite laundry	690	60	Measures 2,4,6,7,12

Country	Description	High Threshold	Low Threshold	Associated Measures
China	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in China without laundry data	100	40	Measures 2,4,6,7,12
France	Energy Per Occupied Room Outlier (kWh/ocrm) for full service luxury hotels in France	1170	40	Measures 1,3,5,12
France	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper upscale hotels in France	400	20	Measures 1,3,5,12
France	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upscale hotels in France	140	20	Measures 1,3,5,12
France	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper midscale hotels in France	120	10	Measures 1,3,5,12
France	Energy Per Occupied Room Outlier (kWh/ocrm) for full service midscale hotels in France	270	50	Measures 1,3,5,12
France	Energy Per Occupied Room Outlier (kWh/ocrm) for full service economy hotels in France	300	20	Measures 1,3,5,12
France	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service luxury hotels in France	370	10	Measures 1,3,5,12
France	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper upscale hotels in France	370	10	Measures 1,3,5,12
France	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upscale hotels in France	370	10	Measures 1,3,5,12
France	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper midscale hotels in France	140	10	Measures 1,3,5,12
France	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service midscale hotels in France	120	10	Measures 1,3,5,12
France	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service economy hotels in France	90	10	Measures 1,3,5,12
France	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in France	830	30	Measures 2,4,6,7,12
France	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in France	570	30	Measures 2,4,6,7,12
France	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in France with onsite laundry	1390	40	Measures 2,4,6,7,12
France	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in France without onsite laundry	650	40	Measures 2,4,6,7,12
France	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in France without laundry data	160	10	Measures 2,4,6,7,12

Country	Description	High Threshold	Low Threshold	Associated Measures
France	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in France with onsite laundry	560	40	Measures 2,4,6,7,12
France	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in France without onsite laundry	490	30	Measures 2,4,6,7,12
France	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in France without laundry data	560	40	Measures 2,4,6,7,12
France	Energy Per Square Meter Outlier (Kwh/M2) for resort in France with onsite laundry	2420	170	Measures 2,4,6,7,12
France	Energy Per Square Meter Outlier (Kwh/M2) for resort in France without onsite laundry	450	60	Measures 2,4,6,7,12
France	Energy Per Square Meter Outlier (Kwh/M2) for resort in France without laundry data	2420	170	Measures 2,4,6,7,12
France	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in France with onsite laundry	2420	170	Measures 2,4,6,7,12
France	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in France without onsite laundry	450	60	Measures 2,4,6,7,12
France	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in France without laundry data	2420	170	Measures 2,4,6,7,12
Germany	Energy Per Occupied Room Outlier (kWh/ocrm) for full service luxury hotels in Germany	550	100	Measures 1,3,5,12
Germany	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper upscale hotels in Germany	290	40	Measures 1,3,5,12
Germany	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upscale hotels in Germany	130	50	Measures 1,3,5,12
Germany	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper midscale hotels in Germany	300	10	Measures 1,3,5,12
Germany	Energy Per Occupied Room Outlier (kWh/ocrm) for full service midscale hotels in Germany	270	50	Measures 1,3,5,12
Germany	Energy Per Occupied Room Outlier (kWh/ocrm) for full service economy hotels in Germany	300	20	Measures 1,3,5,12
Germany	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service luxury hotels in Germany	90	20	Measures 1,3,5,12
Germany	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper upscale hotels in Germany	90	20	Measures 1,3,5,12
Germany	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upscale hotels in Germany	150	20	Measures 1,3,5,12



Country	Description	High Threshold	Low Threshold	Associated Measures
Germany	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper midscale hotels in Germany	130	20	Measures 1,3,5,12
Germany	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service midscale hotels in Germany	130	20	Measures 1,3,5,12
Germany	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service economy hotels in Germany	90	10	Measures 1,3,5,12
Germany	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Germany	430	60	Measures 2,4,6,7,12
Germany	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Germany	540	10	Measures 2,4,6,7,12
Germany	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Germany with onsite laundry	430	90	Measures 2,4,6,7,12
Germany	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Germany without onsite laundry	450	40	Measures 2,4,6,7,12
Germany	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Germany without laundry data	430	90	Measures 2,4,6,7,12
Germany	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Germany with onsite laundry	360	40	Measures 2,4,6,7,12
Germany	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Germany without onsite laundry	420	20	Measures 2,4,6,7,12
Germany	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Germany without laundry data	360	40	Measures 2,4,6,7,12
Germany	Energy Per Square Meter Outlier (Kwh/M2) for resort in Germany with onsite laundry	900	70	Measures 2,4,6,7,12
Germany	Energy Per Square Meter Outlier (Kwh/M2) for resort in Germany without onsite laundry	230	110	Measures 2,4,6,7,12
Germany	Energy Per Square Meter Outlier (Kwh/M2) for resort in Germany without laundry data	1340	10	Measures 2,4,6,7,12
Germany	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Germany with onsite laundry	900	70	Measures 2,4,6,7,12
Germany	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Germany without onsite laundry	230	110	Measures 2,4,6,7,12
Germany	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Germany without laundry data	1340	10	Measures 2,4,6,7,12
India	Energy Per Occupied Room Outlier (kWh/ocrm) for full service luxury hotels in India	570	70	Measures 1,3,5,12

Country	Description	High Threshold	Low Threshold	Associated Measures
India	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper upscale hotels in India	330	50	Measures 1,3,5,12
India	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upscale hotels in India	180	30	Measures 1,3,5,12
India	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper midscale hotels in India	180	40	Measures 1,3,5,12
India	Energy Per Occupied Room Outlier (kWh/ocrm) for full service midscale hotels in India	270	50	Measures 1,3,5,12
India	Energy Per Occupied Room Outlier (kWh/ocrm) for full service economy hotels in India	300	20	Measures 1,3,5,12
India	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service luxury hotels in India	220	40	Measures 1,3,5,12
India	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper upscale hotels in India	220	40	Measures 1,3,5,12
India	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upscale hotels in India	220	40	Measures 1,3,5,12
India	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper midscale hotels in India	120	10	Measures 1,3,5,12
India	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service midscale hotels in India	120	10	Measures 1,3,5,12
India	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service economy hotels in India	90	10	Measures 1,3,5,12
India	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in India	560	70	Measures 2,4,6,7,12
India	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in India	880	30	Measures 2,4,6,7,12
India	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in India with onsite laundry	630	70	Measures 2,4,6,7,12
India	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in India without onsite laundry	490	60	Measures 2,4,6,7,12
India	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in India without laundry data	630	70	Measures 2,4,6,7,12
India	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in India with onsite laundry	690	70	Measures 2,4,6,7,12
India	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in India without onsite laundry	260	30	Measures 2,4,6,7,12

Country	Description	High Threshold	Low Threshold	Associated Measures
India	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in India without laundry data	690	70	Measures 2,4,6,7,12
India	Energy Per Square Meter Outlier (Kwh/M2) for resort in India with onsite laundry	590	100	Measures 2,4,6,7,12
India	Energy Per Square Meter Outlier (Kwh/M2) for resort in India without onsite laundry	600	90	Measures 2,4,6,7,12
India	Energy Per Square Meter Outlier (Kwh/M2) for resort in India without laundry data	590	100	Measures 2,4,6,7,12
India	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in India with onsite laundry	590	100	Measures 2,4,6,7,12
India	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in India without onsite laundry	600	90	Measures 2,4,6,7,12
India	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in India without laundry data	590	100	Measures 2,4,6,7,12
Indonesia	Energy Per Occupied Room Outlier (kWh/ocrm) for full service luxury hotels in Indonesia	3480	40	Measures 1,3,5,12
Indonesia	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper upscale hotels in Indonesia	530	40	Measures 1,3,5,12
Indonesia	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upscale hotels in Indonesia	160	30	Measures 1,3,5,12
Indonesia	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper midscale hotels in Indonesia	280	20	Measures 1,3,5,12
Indonesia	Energy Per Occupied Room Outlier (kWh/ocrm) for full service midscale hotels in Indonesia	270	50	Measures 1,3,5,12
Indonesia	Energy Per Occupied Room Outlier (kWh/ocrm) for full service economy hotels in Indonesia	300	20	Measures 1,3,5,12
Indonesia	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service luxury hotels in Indonesia	140	40	Measures 1,3,5,12
Indonesia	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper upscale hotels in Indonesia	140	40	Measures 1,3,5,12
Indonesia	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upscale hotels in Indonesia	140	40	Measures 1,3,5,12
Indonesia	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper midscale hotels in Indonesia	140	10	Measures 1,3,5,12
Indonesia	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service midscale hotels in Indonesia	140	10	Measures 1,3,5,12

Country	Description	High Threshold	Low Threshold	Associated Measures
Indonesia	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service economy hotels in Indonesia	90	10	Measures 1,3,5,12
Indonesia	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Indonesia	610	40	Measures 2,4,6,7,12
Indonesia	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Indonesia	320	70	Measures 2,4,6,7,12
Indonesia	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Indonesia with onsite laundry	590	60	Measures 2,4,6,7,12
Indonesia	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Indonesia without onsite laundry	380	30	Measures 2,4,6,7,12
Indonesia	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Indonesia without laundry data	590	60	Measures 2,4,6,7,12
Indonesia	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Indonesia with onsite laundry	360	80	Measures 2,4,6,7,12
Indonesia	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Indonesia without onsite laundry	310	20	Measures 2,4,6,7,12
Indonesia	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Indonesia without laundry data	360	80	Measures 2,4,6,7,12
Indonesia	Energy Per Square Meter Outlier (Kwh/M2) for resort in Indonesia with onsite laundry	640	60	Measures 2,4,6,7,12
Indonesia	Energy Per Square Meter Outlier (Kwh/M2) for resort in Indonesia without onsite laundry	320	60	Measures 2,4,6,7,12
Indonesia	Energy Per Square Meter Outlier (Kwh/M2) for resort in Indonesia without laundry data	640	60	Measures 2,4,6,7,12
Indonesia	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Indonesia with onsite laundry	640	60	Measures 2,4,6,7,12
Indonesia	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Indonesia without onsite laundry	320	60	Measures 2,4,6,7,12
Indonesia	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Indonesia without laundry data	640	60	Measures 2,4,6,7,12
Japan	Energy Per Occupied Room Outlier (kWh/ocrm) for full service luxury hotels in Japan	1520	140	Measures 1,3,5,12
Japan	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper upscale hotels in Japan	1790	50	Measures 1,3,5,12
Japan	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upscale hotels in Japan	490	60	Measures 1,3,5,12

Country	Description	High Threshold	Low Threshold	Associated Measures
Japan	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper midscale hotels in Japan	1280	20	Measures 1,3,5,12
Japan	Energy Per Occupied Room Outlier (kWh/ocrm) for full service midscale hotels in Japan	270	50	Measures 1,3,5,12
Japan	Energy Per Occupied Room Outlier (kWh/ocrm) for full service economy hotels in Japan	300	20	Measures 1,3,5,12
Japan	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service luxury hotels in Japan	190	50	Measures 1,3,5,12
Japan	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper upscale hotels in Japan	190	50	Measures 1,3,5,12
Japan	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upscale hotels in Japan	190	50	Measures 1,3,5,12
Japan	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper midscale hotels in Japan	130	40	Measures 1,3,5,12
Japan	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service midscale hotels in Japan	120	10	Measures 1,3,5,12
Japan	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service economy hotels in Japan	90	10	Measures 1,3,5,12
Japan	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Japan	860	90	Measures 2,4,6,7,12
Japan	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Japan	460	60	Measures 2,4,6,7,12
Japan	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Japan with onsite laundry	910	120	Measures 2,4,6,7,12
Japan	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Japan without onsite laundry	700	100	Measures 2,4,6,7,12
Japan	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Japan without laundry data	110	50	Measures 2,4,6,7,12
Japan	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Japan with onsite laundry	210	80	Measures 2,4,6,7,12
Japan	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Japan without onsite laundry	520	90	Measures 2,4,6,7,12
Japan	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Japan without laundry data	210	80	Measures 2,4,6,7,12
Japan	Energy Per Square Meter Outlier (Kwh/M2) for resort in Japan with onsite laundry	880	110	Measures 2,4,6,7,12

Country	Description	High Threshold	Low Threshold	Associated Measures
Japan	Energy Per Square Meter Outlier (Kwh/M2) for resort in Japan without onsite laundry	1010	90	Measures 2,4,6,7,12
Japan	Energy Per Square Meter Outlier (Kwh/M2) for resort in Japan without laundry data	880	110	Measures 2,4,6,7,12
Japan	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Japan with onsite laundry	880	110	Measures 2,4,6,7,12
Japan	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Japan without onsite laundry	1010	90	Measures 2,4,6,7,12
Japan	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Japan without laundry data	880	110	Measures 2,4,6,7,12
Mexico	Energy Per Occupied Room Outlier (kWh/ocrm) for full service luxury hotels in Mexico	1070	70	Measures 1,3,5,12
Mexico	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper upscale hotels in Mexico	440	30	Measures 1,3,5,12
Mexico	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upscale hotels in Mexico	220	10	Measures 1,3,5,12
Mexico	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper midscale hotels in Mexico	130	20	Measures 1,3,5,12
Mexico	Energy Per Occupied Room Outlier (kWh/ocrm) for full service midscale hotels in Mexico	270	50	Measures 1,3,5,12
Mexico	Energy Per Occupied Room Outlier (kWh/ocrm) for full service economy hotels in Mexico	300	20	Measures 1,3,5,12
Mexico	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service luxury hotels in Mexico	160	20	Measures 1,3,5,12
Mexico	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper upscale hotels in Mexico	160	20	Measures 1,3,5,12
Mexico	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upscale hotels in Mexico	160	20	Measures 1,3,5,12
Mexico	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper midscale hotels in Mexico	110	10	Measures 1,3,5,12
Mexico	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service midscale hotels in Mexico	60	10	Measures 1,3,5,12
Mexico	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service economy hotels in Mexico	90	10	Measures 1,3,5,12
Mexico	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Mexico	1080	30	Measures 2,4,6,7,12

Country	Description	High Threshold	Low Threshold	Associated Measures
Mexico	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Mexico	660	20	Measures 2,4,6,7,12
Mexico	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Mexico with onsite laundry	1150	30	Measures 2,4,6,7,12
Mexico	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Mexico without onsite laundry	800	30	Measures 2,4,6,7,12
Mexico	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Mexico without laundry data	390	10	Measures 2,4,6,7,12
Mexico	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Mexico with onsite laundry	660	20	Measures 2,4,6,7,12
Mexico	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Mexico without onsite laundry	260	30	Measures 2,4,6,7,12
Mexico	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Mexico without laundry data	290	10	Measures 2,4,6,7,12
Mexico	Energy Per Square Meter Outlier (Kwh/M2) for resort in Mexico with onsite laundry	1310	130	Measures 2,4,6,7,12
Mexico	Energy Per Square Meter Outlier (Kwh/M2) for resort in Mexico without onsite laundry	1070	120	Measures 2,4,6,7,12
Mexico	Energy Per Square Meter Outlier (Kwh/M2) for resort in Mexico without laundry data	1310	130	Measures 2,4,6,7,12
Mexico	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Mexico with onsite laundry	1310	130	Measures 2,4,6,7,12
Mexico	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Mexico without onsite laundry	1070	120	Measures 2,4,6,7,12
Mexico	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Mexico without laundry data	1310	130	Measures 2,4,6,7,12
Thailand	Energy Per Occupied Room Outlier (kWh/ocrm) for full service luxury hotels in Thailand	1800	120	Measures 1,3,5,12
Thailand	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper upscale hotels in Thailand	580	50	Measures 1,3,5,12
Thailand	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upscale hotels in Thailand	460	30	Measures 1,3,5,12
Thailand	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper midscale hotels in Thailand	860	30	Measures 1,3,5,12
Thailand	Energy Per Occupied Room Outlier (kWh/ocrm) for full service midscale hotels in Thailand	100	80	Measures 1,3,5,12

Country	Description	High Threshold	Low Threshold	Associated Measures
Thailand	Energy Per Occupied Room Outlier (kWh/ocrm) for full service economy hotels in Thailand	300	20	Measures 1,3,5,12
Thailand	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service luxury hotels in Thailand	280	120	Measures 1,3,5,12
Thailand	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper upscale hotels in Thailand	280	120	Measures 1,3,5,12
Thailand	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upscale hotels in Thailand	300	40	Measures 1,3,5,12
Thailand	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper midscale hotels in Thailand	260	20	Measures 1,3,5,12
Thailand	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service midscale hotels in Thailand	280	10	Measures 1,3,5,12
Thailand	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service economy hotels in Thailand	90	10	Measures 1,3,5,12
Thailand	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Thailand	730	40	Measures 2,4,6,7,12
Thailand	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Thailand	220	50	Measures 2,4,6,7,12
Thailand	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Thailand with onsite laundry	620	50	Measures 2,4,6,7,12
Thailand	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Thailand without onsite laundry	950	30	Measures 2,4,6,7,12
Thailand	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Thailand without laundry data	620	50	Measures 2,4,6,7,12
Thailand	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Thailand with onsite laundry	490	50	Measures 2,4,6,7,12
Thailand	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Thailand without onsite laundry	230	40	Measures 2,4,6,7,12
Thailand	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Thailand without laundry data	490	50	Measures 2,4,6,7,12
Thailand	Energy Per Square Meter Outlier (Kwh/M2) for resort in Thailand with onsite laundry	770	80	Measures 2,4,6,7,12
Thailand	Energy Per Square Meter Outlier (Kwh/M2) for resort in Thailand without onsite laundry	780	90	Measures 2,4,6,7,12
Thailand	Energy Per Square Meter Outlier (Kwh/M2) for resort in Thailand without laundry data	770	80	Measures 2,4,6,7,12



Country	Description	High Threshold	Low Threshold	Associated Measures
Thailand	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Thailand with onsite laundry	770	80	Measures 2,4,6,7,12
Thailand	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Thailand without onsite laundry	780	90	Measures 2,4,6,7,12
Thailand	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Thailand without laundry data	770	80	Measures 2,4,6,7,12
United Kingdom	Energy Per Occupied Room Outlier (kWh/ocrm) for full service luxury hotels in United Kingdom	700	100	Measures 1,3,5,12
United Kingdom	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper upscale hotels in United Kingdom	370	30	Measures 1,3,5,12
United Kingdom	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upscale hotels in United Kingdom	290	20	Measures 1,3,5,12
United Kingdom	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper midscale hotels in United Kingdom	240	10	Measures 1,3,5,12
United Kingdom	Energy Per Occupied Room Outlier (kWh/ocrm) for full service midscale hotels in United Kingdom	270	50	Measures 1,3,5,12
United Kingdom	Energy Per Occupied Room Outlier (kWh/ocrm) for full service economy hotels in United Kingdom	300	20	Measures 1,3,5,12
United Kingdom	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service luxury hotels in United Kingdom	110	20	Measures 1,3,5,12
United Kingdom	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper upscale hotels in United Kingdom	110	20	Measures 1,3,5,12
United Kingdom	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upscale hotels in United Kingdom	100	10	Measures 1,3,5,12
United Kingdom	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper midscale hotels in United Kingdom	60	10	Measures 1,3,5,12
United Kingdom	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service midscale hotels in United Kingdom	60	10	Measures 1,3,5,12
United Kingdom	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service economy hotels in United Kingdom	40	10	Measures 1,3,5,12
United Kingdom	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in United Kingdom	760	50	Measures 2,4,6,7,12
United Kingdom	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in United Kingdom	490	30	Measures 2,4,6,7,12
United Kingdom	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in United Kingdom with onsite laundry	740	70	Measures 2,4,6,7,12

Country	Description	High Threshold	Low Threshold	Associated Measures
United Kingdom	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in United Kingdom without onsite laundry	840	40	Measures 2,4,6,7,12
United Kingdom	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in United Kingdom without laundry data	300	110	Measures 2,4,6,7,12
United Kingdom	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in United Kingdom with onsite laundry	320	60	Measures 2,4,6,7,12
United Kingdom	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in United Kingdom without onsite laundry	510	30	Measures 2,4,6,7,12
United Kingdom	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in United Kingdom without laundry data	180	30	Measures 2,4,6,7,12
United Kingdom	Energy Per Square Meter Outlier (Kwh/M2) for resort in United Kingdom with onsite laundry	530	100	Measures 2,4,6,7,12
United Kingdom	Energy Per Square Meter Outlier (Kwh/M2) for resort in United Kingdom without onsite laundry	1020	40	Measures 2,4,6,7,12
United Kingdom	Energy Per Square Meter Outlier (Kwh/M2) for resort in United Kingdom without laundry data	530	100	Measures 2,4,6,7,12
United Kingdom	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in United Kingdom with onsite laundry	530	100	Measures 2,4,6,7,12
United Kingdom	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in United Kingdom without onsite laundry	1020	40	Measures 2,4,6,7,12
United Kingdom	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in United Kingdom without laundry data	530	100	Measures 2,4,6,7,12
United States	Energy Per Occupied Room Outlier (kWh/ocrm) for full service luxury hotels in United States	700	40	Measures 1,3,5,12
United States	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper upscale hotels in United States	340	20	Measures 1,3,5,12
United States	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upscale hotels in United States	160	10	Measures 1,3,5,12
United States	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper midscale hotels in United States	300	10	Measures 1,3,5,12
United States	Energy Per Occupied Room Outlier (kWh/ocrm) for full service midscale hotels in United States	270	50	Measures 1,3,5,12
United States	Energy Per Occupied Room Outlier (kWh/ocrm) for full service economy hotels in United States	300	20	Measures 1,3,5,12
United States	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service luxury hotels in United States	190	10	Measures 1,3,5,12

Country	Description	High Threshold	Low Threshold	Associated Measures
United States	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper upscale hotels in United States	190	10	Measures 1,3,5,12
United States	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upscale hotels in United States	100	20	Measures 1,3,5,12
United States	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper midscale hotels in United States	90	10	Measures 1,3,5,12
United States	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service midscale hotels in United States	120	10	Measures 1,3,5,12
United States	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service economy hotels in United States	90	10	Measures 1,3,5,12
United States	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in United States	720	40	Measures 2,4,6,7,12
United States	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in United States	440	50	Measures 2,4,6,7,12
United States	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in United States with onsite laundry	700	40	Measures 2,4,6,7,12
United States	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in United States without onsite laundry	750	60	Measures 2,4,6,7,12
United States	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in United States without laundry data	420	40	Measures 2,4,6,7,12
United States	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in United States with onsite laundry	440	50	Measures 2,4,6,7,12
United States	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in United States without onsite laundry	500	40	Measures 2,4,6,7,12
United States	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in United States without laundry data	280	50	Measures 2,4,6,7,12
United States	Energy Per Square Meter Outlier (Kwh/M2) for resort in United States with onsite laundry	890	80	Measures 2,4,6,7,12
United States	Energy Per Square Meter Outlier (Kwh/M2) for resort in United States without onsite laundry	810	70	Measures 2,4,6,7,12
United States	Energy Per Square Meter Outlier (Kwh/M2) for resort in United States without laundry data	890	90	Measures 2,4,6,7,12
United States	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in United States with onsite laundry	890	80	Measures 2,4,6,7,12
United States	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in United States without onsite laundry	810	70	Measures 2,4,6,7,12

Country	Description	High Threshold	Low Threshold	Associated Measures
United States	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in United States without laundry data	890	90	Measures 2,4,6,7,12
Other Countries	Energy Per Occupied Room Outlier (kWh/ocrm) for full service luxury hotels	1080	50	Measures 1,3,5,12
Other Countries	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper upscale hotels	470	20	Measures 1,3,5,12
Other Countries	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upscale hotels	330	10	Measures 1,3,5,12
Other Countries	Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper midscale hotels	300	10	Measures 1,3,5,12
Other Countries	Energy Per Occupied Room Outlier (kWh/ocrm) for full service midscale hotels	270	50	Measures 1,3,5,12
Other Countries	Energy Per Occupied Room Outlier (kWh/ocrm) for full service economy hotels	300	20	Measures 1,3,5,12
Other Countries	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service luxury hotels	240	10	Measures 1,3,5,12
Other Countries	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper upscale hotels	240	10	Measures 1,3,5,12
Other Countries	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upscale hotels	130	20	Measures 1,3,5,12
Other Countries	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper midscale hotels	100	10	Measures 1,3,5,12
Other Countries	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service midscale hotels	120	10	Measures 1,3,5,12
Other Countries	Energy Per Occupied Room Outlier (kWh/ocrm) for limited service economy hotels	90	10	Measures 1,3,5,12
Other Countries	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels	750	40	Measures 2,4,6,7,12
Other Countries	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels	460	50	Measures 2,4,6,7,12
Other Countries	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels with onsite laundry	750	50	Measures 2,4,6,7,12
Other Countries	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels without onsite laundry	750	40	Measures 2,4,6,7,12
Other Countries	Energy Per Square Meter Outlier (Kwh/M2) for full service hotels without laundry data	470	30	Measures 2,4,6,7,12

<b>Country</b>	<b>Description</b>	<b>High Threshold</b>	<b>Low Threshold</b>	<b>Associated Measures</b>
<b>Other Countries</b>	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels with onsite laundry	450	50	Measures 2,4,6,7,12
<b>Other Countries</b>	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels without onsite laundry	530	30	Measures 2,4,6,7,12
<b>Other Countries</b>	Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels without laundry data	300	40	Measures 2,4,6,7,12
<b>Other Countries</b>	Energy Per Square Meter Outlier (Kwh/M2) for resort with onsite laundry	900	70	Measures 2,4,6,7,12
<b>Other Countries</b>	Energy Per Square Meter Outlier (Kwh/M2) for resort without onsite laundry	900	50	Measures 2,4,6,7,12
<b>Other Countries</b>	Energy Per Square Meter Outlier (Kwh/M2) for resort without laundry data	1340	10	Measures 2,4,6,7,12
<b>Other Countries</b>	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort with onsite laundry	900	70	Measures 2,4,6,7,12
<b>Other Countries</b>	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort without onsite laundry	900	50	Measures 2,4,6,7,12
<b>Other Countries</b>	Energy Per Square Meter Outlier (Kwh/M2) for integrated resort without laundry data	1340	10	Measures 2,4,6,7,12

## List of Validity Tests performed on Water Data

Properties in the following countries use country-specific thresholds, while properties in other countries use global thresholds (see “Other Countries”):

1. [Australia](#)
2. [Canada](#)
3. [China](#)
4. [France](#)
5. [Germany](#)
6. [India](#)
7. [Indonesia](#)
8. [Japan](#)
9. [Mexico](#)
10. [Thailand](#)
11. [United Kingdom](#)
12. [United States](#)
13. [Other Countries](#)

Water data that passed the following validity tests are included in the data set for the associated measure.

Country	Description	High Threshold	Low Threshold	Associated Measures
All Countries	Property did not provide any purchased electricity data	N/A	N/A	Measures 1-7,12
All Countries	Data did not have 12 separate electricity data points	N/A	N/A	Measures 1-7,12
All Countries	Only one source of energy was indicated for calculating total energy	N/A	N/A	Notified only, no action taken
All Countries	At least one energy or water source had a high variance of a ratio of 4 to 1 between high/low months or 80% month-to-month	N/A	N/A	Notified only, no action taken
Australia	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Australia	1630	160	Measures 8,10
Australia	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Australia	620	150	Measures 8,10
Australia	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Australia with onsite laundry	1920	190	Measures 8,10
Australia	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Australia without onsite laundry	1580	170	Measures 8,10

Country	Description	High Threshold	Low Threshold	Associated Measures
Australia	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Australia without laundry data	550	220	Measures 8,10
Australia	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Australia with onsite laundry	690	120	Measures 8,10
Australia	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Australia without onsite laundry	620	150	Measures 8,10
Australia	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Australia without laundry data	690	120	Measures 8,10
Australia	Water Per Occupied Room Outlier (L/OCRM) for resort in Australia with onsite laundry	1550	410	Measures 8,10
Australia	Water Per Occupied Room Outlier (L/OCRM) for resort in Australia without onsite laundry	2090	170	Measures 8,10
Australia	Water Per Occupied Room Outlier (L/OCRM) for resort in Australia without laundry data	1550	410	Measures 8,10
Australia	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Australia with onsite laundry	1550	410	Measures 8,10
Australia	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Australia without onsite laundry	2090	170	Measures 8,10
Australia	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Australia without laundry data	1550	410	Measures 8,10
Australia	Water Per Square Meter Outlier (L/M2) for full service hotels in Australia	2360	290	Measures 9,11
Australia	Water Per Square Meter Outlier (L/M2) for limited service hotels in Australia	1410	290	Measures 9,11
Australia	Water Per Square Meter Outlier (L/M2) for full service hotels in Australia with onsite laundry	4010	260	Measures 9,11
Australia	Water Per Square Meter Outlier (L/M2) for full service hotels in Australia without onsite laundry	2250	240	Measures 9,11
Australia	Water Per Square Meter Outlier (L/M2) for full service hotels in Australia without laundry data	1030	620	Measures 9,11
Australia	Water Per Square Meter Outlier (L/M2) for limited service hotels in Australia with onsite laundry	960	200	Measures 9,11
Australia	Water Per Square Meter Outlier (L/M2) for limited service hotels in Australia without onsite laundry	1280	400	Measures 9,11
Australia	Water Per Square Meter Outlier (L/M2) for limited service hotels in Australia without laundry data	960	200	Measures 9,11

Country	Description	High Threshold	Low Threshold	Associated Measures
Australia	Water Per Square Meter Outlier (L/M2) for resort in Australia with onsite laundry	9010	750	Measures 9,11
Australia	Water Per Square Meter Outlier (L/M2) for resort in Australia without onsite laundry	12170	3720	Measures 9,11
Australia	Water Per Square Meter Outlier (L/M2) for resort in Australia without laundry data	9010	750	Measures 9,11
Australia	Water Per Square Meter Outlier (L/M2) for integrated resort in Australia with onsite laundry	9010	750	Measures 9,11
Australia	Water Per Square Meter Outlier (L/M2) for integrated resort in Australia without onsite laundry	12170	3720	Measures 9,11
Australia	Water Per Square Meter Outlier (L/M2) for integrated resort in Australia without laundry data	9010	750	Measures 9,11
Canada	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Canada	3060	170	Measures 8,10
Canada	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Canada	1220	140	Measures 8,10
Canada	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Canada with onsite laundry	2690	170	Measures 8,10
Canada	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Canada without onsite laundry	4550	220	Measures 8,10
Canada	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Canada without laundry data	1110	160	Measures 8,10
Canada	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Canada with onsite laundry	1250	140	Measures 8,10
Canada	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Canada without onsite laundry	1390	130	Measures 8,10
Canada	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Canada without laundry data	850	110	Measures 8,10
Canada	Water Per Occupied Room Outlier (L/OCRM) for resort in Canada with onsite laundry	4160	200	Measures 8,10
Canada	Water Per Occupied Room Outlier (L/OCRM) for resort in Canada without onsite laundry	1690	1650	Measures 8,10
Canada	Water Per Occupied Room Outlier (L/OCRM) for resort in Canada without laundry data	4160	200	Measures 8,10
Canada	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Canada with onsite laundry	4160	200	Measures 8,10



Country	Description	High Threshold	Low Threshold	Associated Measures
Canada	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Canada without onsite laundry	1690	1650	Measures 8,10
Canada	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Canada without laundry data	9300	290	Measures 8,10
Canada	Water Per Square Meter Outlier (L/M2) for full service hotels in Canada	4890	330	Measures 9,11
Canada	Water Per Square Meter Outlier (L/M2) for limited service hotels in Canada	4100	350	Measures 9,11
Canada	Water Per Square Meter Outlier (L/M2) for full service hotels in Canada with onsite laundry	5150	370	Measures 9,11
Canada	Water Per Square Meter Outlier (L/M2) for full service hotels in Canada without onsite laundry	3290	310	Measures 9,11
Canada	Water Per Square Meter Outlier (L/M2) for full service hotels in Canada without laundry data	4730	110	Measures 9,11
Canada	Water Per Square Meter Outlier (L/M2) for limited service hotels in Canada with onsite laundry	3980	390	Measures 9,11
Canada	Water Per Square Meter Outlier (L/M2) for limited service hotels in Canada without onsite laundry	5690	280	Measures 9,11
Canada	Water Per Square Meter Outlier (L/M2) for limited service hotels in Canada without laundry data	2430	350	Measures 9,11
Canada	Water Per Square Meter Outlier (L/M2) for resort in Canada with onsite laundry	5350	260	Measures 9,11
Canada	Water Per Square Meter Outlier (L/M2) for resort in Canada without onsite laundry	4810	1540	Measures 9,11
Canada	Water Per Square Meter Outlier (L/M2) for resort in Canada without laundry data	5350	260	Measures 9,11
Canada	Water Per Square Meter Outlier (L/M2) for integrated resort in Canada with onsite laundry	5350	260	Measures 9,11
Canada	Water Per Square Meter Outlier (L/M2) for integrated resort in Canada without onsite laundry	4810	1540	Measures 9,11
Canada	Water Per Square Meter Outlier (L/M2) for integrated resort in Canada without laundry data	1430	1420	Measures 9,11
China	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in China	3440	570	Measures 8,10
China	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in China	1740	90	Measures 8,10

Country	Description	High Threshold	Low Threshold	Associated Measures
China	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in China with onsite laundry	3500	610	Measures 8,10
China	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in China without onsite laundry	3700	320	Measures 8,10
China	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in China without laundry data	4760	380	Measures 8,10
China	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in China with onsite laundry	2920	70	Measures 8,10
China	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in China without onsite laundry	1310	90	Measures 8,10
China	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in China without laundry data	1110	180	Measures 8,10
China	Water Per Occupied Room Outlier (L/OCRM) for resort in China with onsite laundry	8580	700	Measures 8,10
China	Water Per Occupied Room Outlier (L/OCRM) for resort in China without onsite laundry	4120	540	Measures 8,10
China	Water Per Occupied Room Outlier (L/OCRM) for resort in China without laundry data	3280	1340	Measures 8,10
China	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in China with onsite laundry	8580	700	Measures 8,10
China	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in China without onsite laundry	4120	540	Measures 8,10
China	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in China without laundry data	3280	1340	Measures 8,10
China	Water Per Square Meter Outlier (L/M2) for full service hotels in China	5350	530	Measures 9,11
China	Water Per Square Meter Outlier (L/M2) for limited service hotels in China	4240	210	Measures 9,11
China	Water Per Square Meter Outlier (L/M2) for full service hotels in China with onsite laundry	5370	580	Measures 9,11
China	Water Per Square Meter Outlier (L/M2) for full service hotels in China without onsite laundry	4510	430	Measures 9,11
China	Water Per Square Meter Outlier (L/M2) for full service hotels in China without laundry data	3770	430	Measures 9,11
China	Water Per Square Meter Outlier (L/M2) for limited service hotels in China with onsite laundry	5330	190	Measures 9,11

Country	Description	High Threshold	Low Threshold	Associated Measures
China	Water Per Square Meter Outlier (L/M2) for limited service hotels in China without onsite laundry	3480	230	Measures 9,11
China	Water Per Square Meter Outlier (L/M2) for limited service hotels in China without laundry data	2900	340	Measures 9,11
China	Water Per Square Meter Outlier (L/M2) for resort in China with onsite laundry	9870	610	Measures 9,11
China	Water Per Square Meter Outlier (L/M2) for resort in China without onsite laundry	11770	190	Measures 9,11
China	Water Per Square Meter Outlier (L/M2) for resort in China without laundry data	1670	780	Measures 9,11
China	Water Per Square Meter Outlier (L/M2) for integrated resort in China with onsite laundry	9870	610	Measures 9,11
China	Water Per Square Meter Outlier (L/M2) for integrated resort in China without onsite laundry	11770	190	Measures 9,11
China	Water Per Square Meter Outlier (L/M2) for integrated resort in China without laundry data	1670	780	Measures 9,11
France	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in France	860	180	Measures 8,10
France	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in France	280	160	Measures 8,10
France	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in France with onsite laundry	1280	210	Measures 8,10
France	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in France without onsite laundry	660	210	Measures 8,10
France	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in France without laundry data	870	320	Measures 8,10
France	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in France with onsite laundry	770	90	Measures 8,10
France	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in France without onsite laundry	250	170	Measures 8,10
France	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in France without laundry data	430	120	Measures 8,10
France	Water Per Occupied Room Outlier (L/OCRM) for resort in France with onsite laundry	13520	330	Measures 8,10
France	Water Per Occupied Room Outlier (L/OCRM) for resort in France without onsite laundry	2280	110	Measures 8,10

Country	Description	High Threshold	Low Threshold	Associated Measures
France	Water Per Occupied Room Outlier (L/OCRM) for resort in France without laundry data	13520	330	Measures 8,10
France	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in France with onsite laundry	13520	330	Measures 8,10
France	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in France without onsite laundry	2280	110	Measures 8,10
France	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in France without laundry data	13520	330	Measures 8,10
France	Water Per Square Meter Outlier (L/M2) for full service hotels in France	3270	220	Measures 9,11
France	Water Per Square Meter Outlier (L/M2) for limited service hotels in France	4040	150	Measures 9,11
France	Water Per Square Meter Outlier (L/M2) for full service hotels in France with onsite laundry	5150	250	Measures 9,11
France	Water Per Square Meter Outlier (L/M2) for full service hotels in France without onsite laundry	2340	210	Measures 9,11
France	Water Per Square Meter Outlier (L/M2) for full service hotels in France without laundry data	1810	360	Measures 9,11
France	Water Per Square Meter Outlier (L/M2) for limited service hotels in France with onsite laundry	3290	530	Measures 9,11
France	Water Per Square Meter Outlier (L/M2) for limited service hotels in France without onsite laundry	3170	170	Measures 9,11
France	Water Per Square Meter Outlier (L/M2) for limited service hotels in France without laundry data	1810	100	Measures 9,11
France	Water Per Square Meter Outlier (L/M2) for resort in France with onsite laundry	11040	510	Measures 9,11
France	Water Per Square Meter Outlier (L/M2) for resort in France without onsite laundry	1470	540	Measures 9,11
France	Water Per Square Meter Outlier (L/M2) for resort in France without laundry data	18020	400	Measures 9,11
France	Water Per Square Meter Outlier (L/M2) for integrated resort in France with onsite laundry	11040	510	Measures 9,11
France	Water Per Square Meter Outlier (L/M2) for integrated resort in France without onsite laundry	1470	540	Measures 9,11
France	Water Per Square Meter Outlier (L/M2) for integrated resort in France without laundry data	18020	400	Measures 9,11

Country	Description	High Threshold	Low Threshold	Associated Measures
Germany	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Germany	960	170	Measures 8,10
Germany	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Germany	380	100	Measures 8,10
Germany	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Germany with onsite laundry	2300	140	Measures 8,10
Germany	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Germany without onsite laundry	840	170	Measures 8,10
Germany	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Germany without laundry data	500	490	Measures 8,10
Germany	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Germany with onsite laundry	320	210	Measures 8,10
Germany	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Germany without onsite laundry	380	100	Measures 8,10
Germany	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Germany without laundry data	420	120	Measures 8,10
Germany	Water Per Occupied Room Outlier (L/OCRM) for resort in Germany with onsite laundry	10980	280	Measures 8,10
Germany	Water Per Occupied Room Outlier (L/OCRM) for resort in Germany without onsite laundry	340	330	Measures 8,10
Germany	Water Per Occupied Room Outlier (L/OCRM) for resort in Germany without laundry data	9300	290	Measures 8,10
Germany	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Germany with onsite laundry	10980	280	Measures 8,10
Germany	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Germany without onsite laundry	340	330	Measures 8,10
Germany	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Germany without laundry data	9300	290	Measures 8,10
Germany	Water Per Square Meter Outlier (L/M2) for full service hotels in Germany	2110	210	Measures 9,11
Germany	Water Per Square Meter Outlier (L/M2) for limited service hotels in Germany	1570	220	Measures 9,11
Germany	Water Per Square Meter Outlier (L/M2) for full service hotels in Germany with onsite laundry	1800	320	Measures 9,11
Germany	Water Per Square Meter Outlier (L/M2) for full service hotels in Germany without onsite laundry	1910	210	Measures 9,11

Country	Description	High Threshold	Low Threshold	Associated Measures
Germany	Water Per Square Meter Outlier (L/M2) for full service hotels in Germany without laundry data	410	400	Measures 9,11
Germany	Water Per Square Meter Outlier (L/M2) for limited service hotels in Germany with onsite laundry	1470	280	Measures 9,11
Germany	Water Per Square Meter Outlier (L/M2) for limited service hotels in Germany without onsite laundry	1670	160	Measures 9,11
Germany	Water Per Square Meter Outlier (L/M2) for limited service hotels in Germany without laundry data	2700	330	Measures 9,11
Germany	Water Per Square Meter Outlier (L/M2) for resort in Germany with onsite laundry	11040	510	Measures 9,11
Germany	Water Per Square Meter Outlier (L/M2) for resort in Germany without onsite laundry	680	670	Measures 9,11
Germany	Water Per Square Meter Outlier (L/M2) for resort in Germany without laundry data	18020	400	Measures 9,11
Germany	Water Per Square Meter Outlier (L/M2) for integrated resort in Germany with onsite laundry	11040	510	Measures 9,11
Germany	Water Per Square Meter Outlier (L/M2) for integrated resort in Germany without onsite laundry	680	670	Measures 9,11
Germany	Water Per Square Meter Outlier (L/M2) for integrated resort in Germany without laundry data	18020	400	Measures 9,11
India	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in India	3450	330	Measures 8,10
India	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in India	1760	170	Measures 8,10
India	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in India with onsite laundry	3590	330	Measures 8,10
India	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in India without onsite laundry	3370	340	Measures 8,10
India	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in India without laundry data	3580	350	Measures 8,10
India	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in India with onsite laundry	1730	180	Measures 8,10
India	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in India without onsite laundry	1940	80	Measures 8,10
India	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in India without laundry data	1730	180	Measures 8,10

Country	Description	High Threshold	Low Threshold	Associated Measures
India	Water Per Occupied Room Outlier (L/OCRM) for resort in India with onsite laundry	9020	370	Measures 8,10
India	Water Per Occupied Room Outlier (L/OCRM) for resort in India without onsite laundry	3390	860	Measures 8,10
India	Water Per Occupied Room Outlier (L/OCRM) for resort in India without laundry data	9020	370	Measures 8,10
India	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in India with onsite laundry	9020	370	Measures 8,10
India	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in India without onsite laundry	3390	860	Measures 8,10
India	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in India without laundry data	9300	290	Measures 8,10
India	Water Per Square Meter Outlier (L/M2) for full service hotels in India	5580	600	Measures 9,11
India	Water Per Square Meter Outlier (L/M2) for limited service hotels in India	10480	290	Measures 9,11
India	Water Per Square Meter Outlier (L/M2) for full service hotels in India with onsite laundry	5790	540	Measures 9,11
India	Water Per Square Meter Outlier (L/M2) for full service hotels in India without onsite laundry	7550	560	Measures 9,11
India	Water Per Square Meter Outlier (L/M2) for full service hotels in India without laundry data	2120	1080	Measures 9,11
India	Water Per Square Meter Outlier (L/M2) for limited service hotels in India with onsite laundry	6880	730	Measures 9,11
India	Water Per Square Meter Outlier (L/M2) for limited service hotels in India without onsite laundry	4330	230	Measures 9,11
India	Water Per Square Meter Outlier (L/M2) for limited service hotels in India without laundry data	6880	730	Measures 9,11
India	Water Per Square Meter Outlier (L/M2) for resort in India with onsite laundry	8810	1330	Measures 9,11
India	Water Per Square Meter Outlier (L/M2) for resort in India without onsite laundry	6910	820	Measures 9,11
India	Water Per Square Meter Outlier (L/M2) for resort in India without laundry data	8810	1330	Measures 9,11
India	Water Per Square Meter Outlier (L/M2) for integrated resort in India with onsite laundry	8810	1330	Measures 9,11

Country	Description	High Threshold	Low Threshold	Associated Measures
India	Water Per Square Meter Outlier (L/M2) for integrated resort in India without onsite laundry	6910	820	Measures 9,11
India	Water Per Square Meter Outlier (L/M2) for integrated resort in India without laundry data	1860	1850	Measures 9,11
Indonesia	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Indonesia	5000	450	Measures 8,10
Indonesia	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Indonesia	2460	160	Measures 8,10
Indonesia	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Indonesia with onsite laundry	4800	460	Measures 8,10
Indonesia	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Indonesia without onsite laundry	7690	360	Measures 8,10
Indonesia	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Indonesia without laundry data	4800	460	Measures 8,10
Indonesia	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Indonesia with onsite laundry	2460	160	Measures 8,10
Indonesia	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Indonesia without onsite laundry	1690	110	Measures 8,10
Indonesia	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Indonesia without laundry data	2460	160	Measures 8,10
Indonesia	Water Per Occupied Room Outlier (L/OCRM) for resort in Indonesia with onsite laundry	26230	190	Measures 8,10
Indonesia	Water Per Occupied Room Outlier (L/OCRM) for resort in Indonesia without onsite laundry	35790	770	Measures 8,10
Indonesia	Water Per Occupied Room Outlier (L/OCRM) for resort in Indonesia without laundry data	26230	190	Measures 8,10
Indonesia	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Indonesia with onsite laundry	26230	190	Measures 8,10
Indonesia	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Indonesia without onsite laundry	35790	770	Measures 8,10
Indonesia	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Indonesia without laundry data	26230	190	Measures 8,10
Indonesia	Water Per Square Meter Outlier (L/M2) for full service hotels in Indonesia	7660	530	Measures 9,11
Indonesia	Water Per Square Meter Outlier (L/M2) for limited service hotels in Indonesia	4240	370	Measures 9,11



Country	Description	High Threshold	Low Threshold	Associated Measures
Indonesia	Water Per Square Meter Outlier (L/M2) for full service hotels in Indonesia with onsite laundry	8810	530	Measures 9,11
Indonesia	Water Per Square Meter Outlier (L/M2) for full service hotels in Indonesia without onsite laundry	5040	520	Measures 9,11
Indonesia	Water Per Square Meter Outlier (L/M2) for full service hotels in Indonesia without laundry data	8810	530	Measures 9,11
Indonesia	Water Per Square Meter Outlier (L/M2) for limited service hotels in Indonesia with onsite laundry	3870	610	Measures 9,11
Indonesia	Water Per Square Meter Outlier (L/M2) for limited service hotels in Indonesia without onsite laundry	4140	140	Measures 9,11
Indonesia	Water Per Square Meter Outlier (L/M2) for limited service hotels in Indonesia without laundry data	3870	610	Measures 9,11
Indonesia	Water Per Square Meter Outlier (L/M2) for resort in Indonesia with onsite laundry	17530	490	Measures 9,11
Indonesia	Water Per Square Meter Outlier (L/M2) for resort in Indonesia without onsite laundry	11810	920	Measures 9,11
Indonesia	Water Per Square Meter Outlier (L/M2) for resort in Indonesia without laundry data	17530	490	Measures 9,11
Indonesia	Water Per Square Meter Outlier (L/M2) for integrated resort in Indonesia with onsite laundry	17530	490	Measures 9,11
Indonesia	Water Per Square Meter Outlier (L/M2) for integrated resort in Indonesia without onsite laundry	11810	920	Measures 9,11
Indonesia	Water Per Square Meter Outlier (L/M2) for integrated resort in Indonesia without laundry data	17530	490	Measures 9,11
Japan	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Japan	6060	430	Measures 8,10
Japan	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Japan	1170	190	Measures 8,10
Japan	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Japan with onsite laundry	5980	650	Measures 8,10
Japan	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Japan without onsite laundry	6620	330	Measures 8,10
Japan	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Japan without laundry data	2390	520	Measures 8,10
Japan	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Japan with onsite laundry	910	220	Measures 8,10

Country	Description	High Threshold	Low Threshold	Associated Measures
Japan	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Japan without onsite laundry	1320	180	Measures 8,10
Japan	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Japan without laundry data	910	220	Measures 8,10
Japan	Water Per Occupied Room Outlier (L/OCRM) for resort in Japan with onsite laundry	6020	940	Measures 8,10
Japan	Water Per Occupied Room Outlier (L/OCRM) for resort in Japan without onsite laundry	10020	1200	Measures 8,10
Japan	Water Per Occupied Room Outlier (L/OCRM) for resort in Japan without laundry data	6020	940	Measures 8,10
Japan	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Japan with onsite laundry	6020	940	Measures 8,10
Japan	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Japan without onsite laundry	10020	1200	Measures 8,10
Japan	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Japan without laundry data	1860	1850	Measures 8,10
Japan	Water Per Square Meter Outlier (L/M2) for full service hotels in Japan	3940	600	Measures 9,11
Japan	Water Per Square Meter Outlier (L/M2) for limited service hotels in Japan	2400	280	Measures 9,11
Japan	Water Per Square Meter Outlier (L/M2) for full service hotels in Japan with onsite laundry	3580	1070	Measures 9,11
Japan	Water Per Square Meter Outlier (L/M2) for full service hotels in Japan without onsite laundry	3990	550	Measures 9,11
Japan	Water Per Square Meter Outlier (L/M2) for full service hotels in Japan without laundry data	1840	1570	Measures 9,11
Japan	Water Per Square Meter Outlier (L/M2) for limited service hotels in Japan with onsite laundry	2240	280	Measures 9,11
Japan	Water Per Square Meter Outlier (L/M2) for limited service hotels in Japan without onsite laundry	4160	460	Measures 9,11
Japan	Water Per Square Meter Outlier (L/M2) for limited service hotels in Japan without laundry data	2240	280	Measures 9,11
Japan	Water Per Square Meter Outlier (L/M2) for resort in Japan with onsite laundry	4990	1130	Measures 9,11
Japan	Water Per Square Meter Outlier (L/M2) for resort in Japan without onsite laundry	3530	1250	Measures 9,11

Country	Description	High Threshold	Low Threshold	Associated Measures
Japan	Water Per Square Meter Outlier (L/M2) for resort in Japan without laundry data	4990	1130	Measures 9,11
Japan	Water Per Square Meter Outlier (L/M2) for integrated resort in Japan with onsite laundry	4990	1130	Measures 9,11
Japan	Water Per Square Meter Outlier (L/M2) for integrated resort in Japan without onsite laundry	3530	1250	Measures 9,11
Japan	Water Per Square Meter Outlier (L/M2) for integrated resort in Japan without laundry data	1790	1780	Measures 9,11
Mexico	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Mexico	4670	130	Measures 8,10
Mexico	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Mexico	1040	110	Measures 8,10
Mexico	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Mexico with onsite laundry	4380	120	Measures 8,10
Mexico	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Mexico without onsite laundry	4460	130	Measures 8,10
Mexico	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Mexico without laundry data	7360	140	Measures 8,10
Mexico	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Mexico with onsite laundry	1060	110	Measures 8,10
Mexico	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Mexico without onsite laundry	1620	10	Measures 8,10
Mexico	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Mexico without laundry data	1340	170	Measures 8,10
Mexico	Water Per Occupied Room Outlier (L/OCRM) for resort in Mexico with onsite laundry	8590	410	Measures 8,10
Mexico	Water Per Occupied Room Outlier (L/OCRM) for resort in Mexico without onsite laundry	9440	680	Measures 8,10
Mexico	Water Per Occupied Room Outlier (L/OCRM) for resort in Mexico without laundry data	8590	410	Measures 8,10
Mexico	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Mexico with onsite laundry	8590	410	Measures 8,10
Mexico	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Mexico without onsite laundry	9440	680	Measures 8,10
Mexico	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Mexico without laundry data	8590	410	Measures 8,10

Country	Description	High Threshold	Low Threshold	Associated Measures
Mexico	Water Per Square Meter Outlier (L/M2) for full service hotels in Mexico	14150	150	Measures 9,11
Mexico	Water Per Square Meter Outlier (L/M2) for limited service hotels in Mexico	6040	160	Measures 9,11
Mexico	Water Per Square Meter Outlier (L/M2) for full service hotels in Mexico with onsite laundry	15820	140	Measures 9,11
Mexico	Water Per Square Meter Outlier (L/M2) for full service hotels in Mexico without onsite laundry	15860	220	Measures 9,11
Mexico	Water Per Square Meter Outlier (L/M2) for full service hotels in Mexico without laundry data	3400	270	Measures 9,11
Mexico	Water Per Square Meter Outlier (L/M2) for limited service hotels in Mexico with onsite laundry	4870	270	Measures 9,11
Mexico	Water Per Square Meter Outlier (L/M2) for limited service hotels in Mexico without onsite laundry	4880	20	Measures 9,11
Mexico	Water Per Square Meter Outlier (L/M2) for limited service hotels in Mexico without laundry data	13720	100	Measures 9,11
Mexico	Water Per Square Meter Outlier (L/M2) for resort in Mexico with onsite laundry	15760	570	Measures 9,11
Mexico	Water Per Square Meter Outlier (L/M2) for resort in Mexico without onsite laundry	8040	2230	Measures 9,11
Mexico	Water Per Square Meter Outlier (L/M2) for resort in Mexico without laundry data	15760	570	Measures 9,11
Mexico	Water Per Square Meter Outlier (L/M2) for integrated resort in Mexico with onsite laundry	15760	570	Measures 9,11
Mexico	Water Per Square Meter Outlier (L/M2) for integrated resort in Mexico without onsite laundry	8040	2230	Measures 9,11
Mexico	Water Per Square Meter Outlier (L/M2) for integrated resort in Mexico without laundry data	15760	570	Measures 9,11
Thailand	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Thailand	16270	280	Measures 8,10
Thailand	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Thailand	870	250	Measures 8,10
Thailand	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Thailand with onsite laundry	13150	320	Measures 8,10
Thailand	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Thailand without onsite laundry	22270	320	Measures 8,10

Country	Description	High Threshold	Low Threshold	Associated Measures
Thailand	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Thailand without laundry data	39120	760	Measures 8,10
Thailand	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Thailand with onsite laundry	570	310	Measures 8,10
Thailand	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Thailand without onsite laundry	950	320	Measures 8,10
Thailand	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Thailand without laundry data	570	310	Measures 8,10
Thailand	Water Per Occupied Room Outlier (L/OCRM) for resort in Thailand with onsite laundry	38090	280	Measures 8,10
Thailand	Water Per Occupied Room Outlier (L/OCRM) for resort in Thailand without onsite laundry	26300	660	Measures 8,10
Thailand	Water Per Occupied Room Outlier (L/OCRM) for resort in Thailand without laundry data	38090	280	Measures 8,10
Thailand	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Thailand with onsite laundry	38090	280	Measures 8,10
Thailand	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Thailand without onsite laundry	26300	660	Measures 8,10
Thailand	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Thailand without laundry data	9300	290	Measures 8,10
Thailand	Water Per Square Meter Outlier (L/M2) for full service hotels in Thailand	10070	560	Measures 9,11
Thailand	Water Per Square Meter Outlier (L/M2) for limited service hotels in Thailand	2080	200	Measures 9,11
Thailand	Water Per Square Meter Outlier (L/M2) for full service hotels in Thailand with onsite laundry	7820	740	Measures 9,11
Thailand	Water Per Square Meter Outlier (L/M2) for full service hotels in Thailand without onsite laundry	14890	460	Measures 9,11
Thailand	Water Per Square Meter Outlier (L/M2) for full service hotels in Thailand without laundry data	10460	140	Measures 9,11
Thailand	Water Per Square Meter Outlier (L/M2) for limited service hotels in Thailand with onsite laundry	1240	120	Measures 9,11
Thailand	Water Per Square Meter Outlier (L/M2) for limited service hotels in Thailand without onsite laundry	1990	280	Measures 9,11
Thailand	Water Per Square Meter Outlier (L/M2) for limited service hotels in Thailand without laundry data	1240	120	Measures 9,11

Country	Description	High Threshold	Low Threshold	Associated Measures
Thailand	Water Per Square Meter Outlier (L/M2) for resort in Thailand with onsite laundry	13430	1080	Measures 9,11
Thailand	Water Per Square Meter Outlier (L/M2) for resort in Thailand without onsite laundry	19640	620	Measures 9,11
Thailand	Water Per Square Meter Outlier (L/M2) for resort in Thailand without laundry data	13430	1080	Measures 9,11
Thailand	Water Per Square Meter Outlier (L/M2) for integrated resort in Thailand with onsite laundry	13430	1080	Measures 9,11
Thailand	Water Per Square Meter Outlier (L/M2) for integrated resort in Thailand without onsite laundry	19640	620	Measures 9,11
Thailand	Water Per Square Meter Outlier (L/M2) for integrated resort in Thailand without laundry data	1480	1470	Measures 9,11
United Kingdom	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in United Kingdom	1550	110	Measures 8,10
United Kingdom	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in United Kingdom	660	70	Measures 8,10
United Kingdom	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in United Kingdom with onsite laundry	1580	130	Measures 8,10
United Kingdom	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in United Kingdom without onsite laundry	1470	110	Measures 8,10
United Kingdom	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in United Kingdom without laundry data	12490	110	Measures 8,10
United Kingdom	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in United Kingdom with onsite laundry	630	110	Measures 8,10
United Kingdom	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in United Kingdom without onsite laundry	690	70	Measures 8,10
United Kingdom	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in United Kingdom without laundry data	420	60	Measures 8,10
United Kingdom	Water Per Occupied Room Outlier (L/OCRM) for resort in United Kingdom with onsite laundry	19330	10	Measures 8,10
United Kingdom	Water Per Occupied Room Outlier (L/OCRM) for resort in United Kingdom without onsite laundry	2470	430	Measures 8,10
United Kingdom	Water Per Occupied Room Outlier (L/OCRM) for resort in United Kingdom without laundry data	19330	10	Measures 8,10
United Kingdom	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in United Kingdom with onsite laundry	19330	10	Measures 8,10

Country	Description	High Threshold	Low Threshold	Associated Measures
United Kingdom	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in United Kingdom without onsite laundry	2470	430	Measures 8,10
United Kingdom	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in United Kingdom without laundry data	9300	290	Measures 8,10
United Kingdom	Water Per Square Meter Outlier (L/M2) for full service hotels in United Kingdom	3840	260	Measures 9,11
United Kingdom	Water Per Square Meter Outlier (L/M2) for limited service hotels in United Kingdom	3520	310	Measures 9,11
United Kingdom	Water Per Square Meter Outlier (L/M2) for full service hotels in United Kingdom with onsite laundry	2900	390	Measures 9,11
United Kingdom	Water Per Square Meter Outlier (L/M2) for full service hotels in United Kingdom without onsite laundry	4130	230	Measures 9,11
United Kingdom	Water Per Square Meter Outlier (L/M2) for full service hotels in United Kingdom without laundry data	14170	250	Measures 9,11
United Kingdom	Water Per Square Meter Outlier (L/M2) for limited service hotels in United Kingdom with onsite laundry	3270	340	Measures 9,11
United Kingdom	Water Per Square Meter Outlier (L/M2) for limited service hotels in United Kingdom without onsite laundry	3740	290	Measures 9,11
United Kingdom	Water Per Square Meter Outlier (L/M2) for limited service hotels in United Kingdom without laundry data	1330	540	Measures 9,11
United Kingdom	Water Per Square Meter Outlier (L/M2) for resort in United Kingdom with onsite laundry	2700	260	Measures 9,11
United Kingdom	Water Per Square Meter Outlier (L/M2) for resort in United Kingdom without onsite laundry	5470	1540	Measures 9,11
United Kingdom	Water Per Square Meter Outlier (L/M2) for resort in United Kingdom without laundry data	2700	260	Measures 9,11
United Kingdom	Water Per Square Meter Outlier (L/M2) for integrated resort in United Kingdom with onsite laundry	2700	260	Measures 9,11
United Kingdom	Water Per Square Meter Outlier (L/M2) for integrated resort in United Kingdom without onsite laundry	5470	1540	Measures 9,11
United Kingdom	Water Per Square Meter Outlier (L/M2) for integrated resort in United Kingdom without laundry data	510	500	Measures 9,11
United States	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in United States	1800	170	Measures 8,10
United States	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in United States	980	150	Measures 8,10

Country	Description	High Threshold	Low Threshold	Associated Measures
United States	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in United States with onsite laundry	1630	180	Measures 8,10
United States	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in United States without onsite laundry	2310	160	Measures 8,10
United States	Water Per Occupied Room Outlier (L/OCRM) for full service hotels in United States without laundry data	2870	110	Measures 8,10
United States	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in United States with onsite laundry	980	160	Measures 8,10
United States	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in United States without onsite laundry	1190	80	Measures 8,10
United States	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in United States without laundry data	910	130	Measures 8,10
United States	Water Per Occupied Room Outlier (L/OCRM) for resort in United States with onsite laundry	4620	230	Measures 8,10
United States	Water Per Occupied Room Outlier (L/OCRM) for resort in United States without onsite laundry	5100	260	Measures 8,10
United States	Water Per Occupied Room Outlier (L/OCRM) for resort in United States without laundry data	6080	310	Measures 8,10
United States	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in United States with onsite laundry	4620	230	Measures 8,10
United States	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in United States without onsite laundry	5100	260	Measures 8,10
United States	Water Per Occupied Room Outlier (L/OCRM) for integrated resort in United States without laundry data	6080	310	Measures 8,10
United States	Water Per Square Meter Outlier (L/M2) for full service hotels in United States	5140	450	Measures 9,11
United States	Water Per Square Meter Outlier (L/M2) for limited service hotels in United States	4730	580	Measures 9,11
United States	Water Per Square Meter Outlier (L/M2) for full service hotels in United States with onsite laundry	5100	490	Measures 9,11
United States	Water Per Square Meter Outlier (L/M2) for full service hotels in United States without onsite laundry	4900	410	Measures 9,11
United States	Water Per Square Meter Outlier (L/M2) for full service hotels in United States without laundry data	5500	410	Measures 9,11
United States	Water Per Square Meter Outlier (L/M2) for limited service hotels in United States with onsite laundry	4670	600	Measures 9,11



Country	Description	High Threshold	Low Threshold	Associated Measures
United States	Water Per Square Meter Outlier (L/M2) for limited service hotels in United States without onsite laundry	5300	430	Measures 9,11
United States	Water Per Square Meter Outlier (L/M2) for limited service hotels in United States without laundry data	4820	530	Measures 9,11
United States	Water Per Square Meter Outlier (L/M2) for resort in United States with onsite laundry	8490	690	Measures 9,11
United States	Water Per Square Meter Outlier (L/M2) for resort in United States without onsite laundry	9010	670	Measures 9,11
United States	Water Per Square Meter Outlier (L/M2) for resort in United States without laundry data	21910	1100	Measures 9,11
United States	Water Per Square Meter Outlier (L/M2) for integrated resort in United States with onsite laundry	8490	690	Measures 9,11
United States	Water Per Square Meter Outlier (L/M2) for integrated resort in United States without onsite laundry	9010	670	Measures 9,11
United States	Water Per Square Meter Outlier (L/M2) for integrated resort in United States without laundry data	21910	1100	Measures 9,11
Other Countries	Water Per Occupied Room Outlier (L/OCRM) for full service hotels	4000	130	Measures 8,10
Other Countries	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels	1070	120	Measures 8,10
Other Countries	Water Per Occupied Room Outlier (L/OCRM) for full service hotels with onsite laundry	4280	150	Measures 8,10
Other Countries	Water Per Occupied Room Outlier (L/OCRM) for full service hotels without onsite laundry	3400	110	Measures 8,10
Other Countries	Water Per Occupied Room Outlier (L/OCRM) for full service hotels without laundry data	4110	120	Measures 8,10
Other Countries	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels with onsite laundry	1020	150	Measures 8,10
Other Countries	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels without onsite laundry	760	100	Measures 8,10
Other Countries	Water Per Occupied Room Outlier (L/OCRM) for limited service hotels without laundry data	950	130	Measures 8,10
Other Countries	Water Per Occupied Room Outlier (L/OCRM) for resort with onsite laundry	10980	280	Measures 8,10
Other Countries	Water Per Occupied Room Outlier (L/OCRM) for resort without onsite laundry	7940	290	Measures 8,10

Country	Description	High Threshold	Low Threshold	Associated Measures
Other Countries	Water Per Occupied Room Outlier (L/OCRM) for resort without laundry data	9300	290	Measures 8,10
Other Countries	Water Per Occupied Room Outlier (L/OCRM) for integrated resort with onsite laundry	10980	280	Measures 8,10
Other Countries	Water Per Occupied Room Outlier (L/OCRM) for integrated resort without onsite laundry	7940	290	Measures 8,10
Other Countries	Water Per Occupied Room Outlier (L/OCRM) for integrated resort without laundry data	9300	290	Measures 8,10
Other Countries	Water Per Square Meter Outlier (L/M2) for full service hotels	5760	350	Measures 9,11
Other Countries	Water Per Square Meter Outlier (L/M2) for limited service hotels	5090	460	Measures 9,11
Other Countries	Water Per Square Meter Outlier (L/M2) for full service hotels with onsite laundry	5770	420	Measures 9,11
Other Countries	Water Per Square Meter Outlier (L/M2) for full service hotels without onsite laundry	5250	270	Measures 9,11
Other Countries	Water Per Square Meter Outlier (L/M2) for full service hotels without laundry data	5390	350	Measures 9,11
Other Countries	Water Per Square Meter Outlier (L/M2) for limited service hotels with onsite laundry	4820	540	Measures 9,11
Other Countries	Water Per Square Meter Outlier (L/M2) for limited service hotels without onsite laundry	5280	210	Measures 9,11
Other Countries	Water Per Square Meter Outlier (L/M2) for limited service hotels without laundry data	5150	430	Measures 9,11
Other Countries	Water Per Square Meter Outlier (L/M2) for resort with onsite laundry	11040	510	Measures 9,11
Other Countries	Water Per Square Meter Outlier (L/M2) for resort without onsite laundry	9900	550	Measures 9,11
Other Countries	Water Per Square Meter Outlier (L/M2) for resort without laundry data	18020	400	Measures 9,11
Other Countries	Water Per Square Meter Outlier (L/M2) for integrated resort with onsite laundry	11040	510	Measures 9,11
Other Countries	Water Per Square Meter Outlier (L/M2) for integrated resort without onsite laundry	9900	550	Measures 9,11
Other Countries	Water Per Square Meter Outlier (L/M2) for integrated resort without laundry data	18020	400	Measures 9,11