

CHSB2025 Validity Testing Fences: Energy and Water

Cornell Hotel Sustainability Benchmarking Index 2025

Validity tests are performed on the energy and water data provided by participants to identify outliers or data which might have been submitted incorrectly. Submitted data may not pass the validity tests because data is too high or too low based on the defined fences. Fences refer to the lower limit and upper limit thresholds determined based on the previous CHSB data set, representing the cut-off values for upper and lower outliers in the data set. Data that passed the validity testing is included in the CHSB data set to output benchmark ranges for 14 related to energy, water and carbon emissions:

| Measure | Description |
|------------|--|
| Measure 1 | HCMI Footprint Per Occupied Room |
| Measure 2 | Total carbon footprint of the property divided by number of rooms |
| Measure 3 | Total carbon footprint of the property divided by number of OCCUPIED rooms |
| Measure 4 | Total carbon footprint of the property divided by the total floor area in SQUARE METERS |
| Measure 5 | Total energy usage of the property divided by number of OCCUPIED rooms |
| Measure 6 | Total energy usage of the property divided by floor area of the property in SQUARE METERS |
| Measure 7 | HCMI Footprint of Meeting Space Per Hour Per Square Meter of Meeting Space |
| Measure 8 | Total water usage of the property divided by the total number of OCCUPIED ROOMS |
| Measure 9 | Total water usage of the property divided by the floor area of the property in SQUARE METERS |
| Measure 10 | HWMI Footprint Per Occupied Room |
| Measure 11 | HWMI Footprint of Meeting Space Per Hour Per Square Meter of Meeting Space |
| Measure 12 | Percentage of property's total energy that is generated from renewable sources (onsite) |
| Measure 13 | Percentage of property's total electricity that is generated from renewable sources (onsite) |
| Measure 14 | Ratio of property's electric energy to its non-electric energy |

List of Validity Tests performed on Energy Data

Properties in the following countries use country-specific thresholds, while properties in other countries use global thresholds (see “Other Countries”):

1. [Australia](#)
2. [Canada](#)
3. [China](#)
4. [France](#)
5. [Germany](#)
6. [India](#)
7. [Indonesia](#)
8. [Japan](#)
9. [Mexico](#)
10. [Thailand](#)
11. [United Kingdom](#)
12. [United States](#)
13. [Other Countries](#)

Energy data that passed the following validity tests are included in the data set for the associated measure.

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------------|--|----------------|---------------|--------------------------------|
| All Countries | Property did not provide any purchased electricity data | N/A | N/A | 1-7,12 |
| All Countries | Data did not have 12 separate electricity data points | N/A | N/A | 1-7,12 |
| All Countries | Only one source of energy was indicated for calculating total energy | N/A | N/A | Notified only, no action taken |
| All Countries | At least one energy or water source had a high variance of a ratio of 4 to 1 between high/low months or 80% month-to-month | N/A | N/A | Notified only, no action taken |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|-----------|--|----------------|---------------|---------------------|
| Australia | Energy Per Occupied Room Outlier (kWh/ocrm) for all hotels in Australia | 200 | 10 | 1,3,5,12 |
| Australia | Energy Per Occupied Room Outlier (kWh/ocrm) for full service luxury hotels in Australia | 270 | 20 | 1,3,5,12 |
| Australia | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper upscale hotels in Australia | 310 | 30 | 1,3,5,12 |
| Australia | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upscale hotels in Australia | 70 | 10 | 1,3,5,12 |
| Australia | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper midscale hotels in Australia | 70 | 10 | 1,3,5,12 |
| Australia | Energy Per Occupied Room Outlier (kWh/ocrm) for full service midscale hotels in Australia | 230 | 10 | 1,3,5,12 |
| Australia | Energy Per Occupied Room Outlier (kWh/ocrm) for full service economy hotels in Australia | 70 | 20 | 1,3,5,12 |
| Australia | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service luxury hotels in Australia | 150 | 10 | 1,3,5,12 |
| Australia | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper upscale hotels in Australia | 150 | 10 | 1,3,5,12 |
| Australia | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upscale hotels in Australia | 150 | 10 | 1,3,5,12 |
| Australia | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper midscale hotels in Australia | 80 | 10 | 1,3,5,12 |
| Australia | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service midscale hotels in Australia | 110 | 10 | 1,3,5,12 |
| Australia | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service economy hotels in Australia | 90 | 10 | 1,3,5,12 |
| Australia | Energy Per Square Meter Outlier (Kwh/M2) for all hotels in Australia | 590 | 30 | 2,4,6,7,12,13,14 |
| Australia | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Australia | 690 | 20 | 2,4,6,7,12,13,14 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|-----------|--|----------------|---------------|---------------------|
| Australia | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Australia | 380 | 50 | 2,4,6,7,12,13,14 |
| Australia | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Australiawith onsite laundry | 650 | 50 | 2,4,6,7,12,13,14 |
| Australia | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Australiawithout onsite laundry | 740 | 20 | 2,4,6,7,12,13,14 |
| Australia | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Australiawithout onsite laundry | 740 | 20 | 2,4,6,7,12,13,14 |
| Australia | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Australiawithout laundry data | 650 | 50 | 2,4,6,7,12,13,14 |
| Australia | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Australiawith onsite laundry | 450 | 70 | 2,4,6,7,12,13,14 |
| Australia | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Australiawithout onsite laundry | 340 | 50 | 2,4,6,7,12,13,14 |
| Australia | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Australiawithout onsite laundry | 340 | 50 | 2,4,6,7,12,13,14 |
| Australia | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Australiawithout laundry data | 200 | 80 | 2,4,6,7,12,13,14 |
| Australia | Energy Per Square Meter Outlier (Kwh/M2) for resort in Australiawith onsite laundry | 570 | 100 | 2,4,6,7,12,13,14 |
| Australia | Energy Per Square Meter Outlier (Kwh/M2) for resort in Australiawithout onsite laundry | 570 | 100 | 2,4,6,7,12,13,14 |
| Australia | Energy Per Square Meter Outlier (Kwh/M2) for resort in Australiawithout onsite laundry | 570 | 100 | 2,4,6,7,12,13,14 |
| Australia | Energy Per Square Meter Outlier (Kwh/M2) for resort in Australiawithout laundry data | 570 | 100 | 2,4,6,7,12,13,14 |
| Australia | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Australiawith onsite laundry | 570 | 100 | 2,4,6,7,12,13,14 |
| Australia | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Australiawithout onsite laundry | 570 | 100 | 2,4,6,7,12,13,14 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|-----------|--|----------------|---------------|---------------------|
| Australia | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Australia without onsite laundry | 570 | 100 | 2,4,6,7,12,13,14 |
| Australia | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Australia without laundry data | 570 | 100 | 2,4,6,7,12,13,14 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|---|----------------|---------------|---------------------|
| Canada | Energy Per Occupied Room Outlier (kWh/ocrm) for all hotels in Canada | 260 | 20 | 1,3,5,12 |
| Canada | Energy Per Occupied Room Outlier (kWh/ocrm) for full service luxury hotels in Canada | 1110 | 20 | 1,3,5,12 |
| Canada | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper upscale hotels in Canada | 300 | 50 | 1,3,5,12 |
| Canada | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upscale hotels in Canada | 350 | 30 | 1,3,5,12 |
| Canada | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper midscale hotels in Canada | 330 | 20 | 1,3,5,12 |
| Canada | Energy Per Occupied Room Outlier (kWh/ocrm) for full service midscale hotels in Canada | 230 | 10 | 1,3,5,12 |
| Canada | Energy Per Occupied Room Outlier (kWh/ocrm) for full service economy hotels in Canada | 70 | 20 | 1,3,5,12 |
| Canada | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service luxury hotels in Canada | 180 | 30 | 1,3,5,12 |
| Canada | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper upscale hotels in Canada | 180 | 30 | 1,3,5,12 |
| Canada | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upscale hotels in Canada | 180 | 30 | 1,3,5,12 |
| Canada | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper midscale hotels in Canada | 140 | 20 | 1,3,5,12 |
| Canada | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service midscale hotels in Canada | 120 | 30 | 1,3,5,12 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|---|----------------|---------------|---------------------|
| Canada | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service economy hotels in Canada | 90 | 10 | 1,3,5,12 |
| Canada | Energy Per Square Meter Outlier (Kwh/M2) for all hotels in Canada | 810 | 110 | 2,4,6,7,12,13,14 |
| Canada | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Canada | 950 | 120 | 2,4,6,7,12,13,14 |
| Canada | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Canada | 760 | 100 | 2,4,6,7,12,13,14 |
| Canada | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Canadawith onsite laundry | 1030 | 120 | 2,4,6,7,12,13,14 |
| Canada | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Canadawithout onsite laundry | 770 | 130 | 2,4,6,7,12,13,14 |
| Canada | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Canadawithout onsite laundry | 770 | 130 | 2,4,6,7,12,13,14 |
| Canada | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Canadawithout laundry data | 1030 | 120 | 2,4,6,7,12,13,14 |
| Canada | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Canadawith onsite laundry | 780 | 100 | 2,4,6,7,12,13,14 |
| Canada | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Canadawithout onsite laundry | 770 | 110 | 2,4,6,7,12,13,14 |
| Canada | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Canadawithout onsite laundry | 770 | 110 | 2,4,6,7,12,13,14 |
| Canada | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Canadawithout laundry data | 780 | 100 | 2,4,6,7,12,13,14 |
| Canada | Energy Per Square Meter Outlier (Kwh/M2) for resort in Canadawith onsite laundry | 1620 | 90 | 2,4,6,7,12,13,14 |
| Canada | Energy Per Square Meter Outlier (Kwh/M2) for resort in Canadawithout onsite laundry | 910 | 100 | 2,4,6,7,12,13,14 |
| Canada | Energy Per Square Meter Outlier (Kwh/M2) for resort in Canadawithout onsite laundry | 910 | 100 | 2,4,6,7,12,13,14 |
| Canada | Energy Per Square Meter Outlier (Kwh/M2) for resort in Canadawithout laundry data | 1620 | 90 | 2,4,6,7,12,13,14 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|--|----------------|---------------|---------------------|
| Canada | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Canadawith onsite laundry | 1620 | 90 | 2,4,6,7,12,13,14 |
| Canada | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Canadawithout onsite laundry | 910 | 100 | 2,4,6,7,12,13,14 |
| Canada | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Canadawithout onsite laundry | 910 | 100 | 2,4,6,7,12,13,14 |
| Canada | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Canadawithout laundry data | 1620 | 90 | 2,4,6,7,12,13,14 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|---|----------------|---------------|---------------------|
| China | Energy Per Occupied Room Outlier (kWh/ocrm) for all hotels in China | 620 | 20 | 1,3,5,12 |
| China | Energy Per Occupied Room Outlier (kWh/ocrm) for full service luxury hotels in China | 610 | 100 | 1,3,5,12 |
| China | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper upscale hotels in China | 400 | 80 | 1,3,5,12 |
| China | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upscale hotels in China | 430 | 50 | 1,3,5,12 |
| China | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper midscale hotels in China | 380 | 20 | 1,3,5,12 |
| China | Energy Per Occupied Room Outlier (kWh/ocrm) for full service midscale hotels in China | 230 | 10 | 1,3,5,12 |
| China | Energy Per Occupied Room Outlier (kWh/ocrm) for full service economy hotels in China | 70 | 20 | 1,3,5,12 |
| China | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service luxury hotels in China | 210 | 20 | 1,3,5,12 |
| China | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper upscale hotels in China | 210 | 20 | 1,3,5,12 |
| China | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upscale hotels in China | 340 | 20 | 1,3,5,12 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|--|----------------|---------------|---------------------|
| China | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper midscale hotels in China | 160 | 10 | 1,3,5,12 |
| China | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service midscale hotels in China | 120 | 10 | 1,3,5,12 |
| China | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service economy hotels in China | 90 | 10 | 1,3,5,12 |
| China | Energy Per Square Meter Outlier (Kwh/M2) for all hotels in China | 520 | 50 | 2,4,6,7,12,13,14 |
| China | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in China | 490 | 60 | 2,4,6,7,12,13,14 |
| China | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in China | 420 | 30 | 2,4,6,7,12,13,14 |
| China | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Chinawith onsite laundry | 530 | 60 | 2,4,6,7,12,13,14 |
| China | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Chinawithout onsite laundry | 480 | 70 | 2,4,6,7,12,13,14 |
| China | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Chinawithout onsite laundry | 480 | 70 | 2,4,6,7,12,13,14 |
| China | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Chinawithout laundry data | 530 | 60 | 2,4,6,7,12,13,14 |
| China | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Chinawith onsite laundry | 490 | 30 | 2,4,6,7,12,13,14 |
| China | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Chinawithout onsite laundry | 450 | 30 | 2,4,6,7,12,13,14 |
| China | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Chinawithout onsite laundry | 450 | 30 | 2,4,6,7,12,13,14 |
| China | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Chinawithout laundry data | 220 | 30 | 2,4,6,7,12,13,14 |
| China | Energy Per Square Meter Outlier (Kwh/M2) for resort in Chinawith onsite laundry | 440 | 60 | 2,4,6,7,12,13,14 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|---|----------------|---------------|---------------------|
| China | Energy Per Square Meter Outlier (Kwh/M2) for resort in Chinawithout onsite laundry | 440 | 40 | 2,4,6,7,12,13,14 |
| China | Energy Per Square Meter Outlier (Kwh/M2) for resort in Chinawithout onsite laundry | 440 | 40 | 2,4,6,7,12,13,14 |
| China | Energy Per Square Meter Outlier (Kwh/M2) for resort in Chinawithout laundry data | 440 | 60 | 2,4,6,7,12,13,14 |
| China | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Chinawith onsite laundry | 440 | 60 | 2,4,6,7,12,13,14 |
| China | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Chinawithout onsite laundry | 440 | 40 | 2,4,6,7,12,13,14 |
| China | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Chinawithout onsite laundry | 440 | 40 | 2,4,6,7,12,13,14 |
| China | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Chinawithout laundry data | 440 | 60 | 2,4,6,7,12,13,14 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|--|----------------|---------------|---------------------|
| France | Energy Per Occupied Room Outlier (kWh/ocrm) for all hotels in France | 200 | 10 | 1,3,5,12 |
| France | Energy Per Occupied Room Outlier (kWh/ocrm) for full service luxury hotels in France | 420 | 30 | 1,3,5,12 |
| France | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper upscale hotels in France | 170 | 20 | 1,3,5,12 |
| France | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upscale hotels in France | 90 | 20 | 1,3,5,12 |
| France | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper midscale hotels in France | 70 | 10 | 1,3,5,12 |
| France | Energy Per Occupied Room Outlier (kWh/ocrm) for full service midscale hotels in France | 230 | 10 | 1,3,5,12 |
| France | Energy Per Occupied Room Outlier (kWh/ocrm) for full service economy hotels in France | 70 | 20 | 1,3,5,12 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|--|----------------|---------------|---------------------|
| France | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service luxury hotels in France | 90 | 10 | 1,3,5,12 |
| France | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper upscale hotels in France | 90 | 10 | 1,3,5,12 |
| France | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upscale hotels in France | 90 | 10 | 1,3,5,12 |
| France | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper midscale hotels in France | 90 | 20 | 1,3,5,12 |
| France | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service midscale hotels in France | 120 | 10 | 1,3,5,12 |
| France | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service economy hotels in France | 90 | 10 | 1,3,5,12 |
| France | Energy Per Square Meter Outlier (Kwh/M2) for all hotels in France | 350 | 50 | 2,4,6,7,12,13,14 |
| France | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in France | 530 | 80 | 2,4,6,7,12,13,14 |
| France | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in France | 290 | 50 | 2,4,6,7,12,13,14 |
| France | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in France with onsite laundry | 600 | 90 | 2,4,6,7,12,13,14 |
| France | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in France without onsite laundry | 500 | 80 | 2,4,6,7,12,13,14 |
| France | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in France without onsite laundry | 500 | 80 | 2,4,6,7,12,13,14 |
| France | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in France without laundry data | 1090 | 40 | 2,4,6,7,12,13,14 |
| France | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in France with onsite laundry | 380 | 80 | 2,4,6,7,12,13,14 |
| France | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in France without onsite laundry | 290 | 50 | 2,4,6,7,12,13,14 |
| France | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in France without onsite laundry | 290 | 50 | 2,4,6,7,12,13,14 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|--|----------------|---------------|---------------------|
| France | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in France without laundry data | 300 | 50 | 2,4,6,7,12,13,14 |
| France | Energy Per Square Meter Outlier (Kwh/M2) for resort in France with onsite laundry | 1030 | 70 | 2,4,6,7,12,13,14 |
| France | Energy Per Square Meter Outlier (Kwh/M2) for resort in France without onsite laundry | 520 | 140 | 2,4,6,7,12,13,14 |
| France | Energy Per Square Meter Outlier (Kwh/M2) for resort in France without onsite laundry | 520 | 140 | 2,4,6,7,12,13,14 |
| France | Energy Per Square Meter Outlier (Kwh/M2) for resort in France without laundry data | 690 | 220 | 2,4,6,7,12,13,14 |
| France | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in France with onsite laundry | 530 | 270 | 2,4,6,7,12,13,14 |
| France | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in France without onsite laundry | 520 | 140 | 2,4,6,7,12,13,14 |
| France | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in France without onsite laundry | 520 | 140 | 2,4,6,7,12,13,14 |
| France | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in France without laundry data | 690 | 220 | 2,4,6,7,12,13,14 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|---|----------------|---------------|---------------------|
| Germany | Energy Per Occupied Room Outlier (kWh/ocrm) for all hotels in Germany | 200 | 10 | 1,3,5,12 |
| Germany | Energy Per Occupied Room Outlier (kWh/ocrm) for full service luxury hotels in Germany | 370 | 50 | 1,3,5,12 |
| Germany | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper upscale hotels in Germany | 250 | 20 | 1,3,5,12 |
| Germany | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upscale hotels in Germany | 90 | 20 | 1,3,5,12 |
| Germany | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper midscale hotels in Germany | 90 | 10 | 1,3,5,12 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|---|----------------|---------------|---------------------|
| Germany | Energy Per Occupied Room Outlier (kWh/ocrm) for full service midscale hotels in Germany | 60 | 30 | 1,3,5,12 |
| Germany | Energy Per Occupied Room Outlier (kWh/ocrm) for full service economy hotels in Germany | 70 | 20 | 1,3,5,12 |
| Germany | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service luxury hotels in Germany | 90 | 10 | 1,3,5,12 |
| Germany | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper upscale hotels in Germany | 90 | 10 | 1,3,5,12 |
| Germany | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upscale hotels in Germany | 90 | 10 | 1,3,5,12 |
| Germany | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper midscale hotels in Germany | 50 | 10 | 1,3,5,12 |
| Germany | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service midscale hotels in Germany | 50 | 10 | 1,3,5,12 |
| Germany | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service economy hotels in Germany | 90 | 10 | 1,3,5,12 |
| Germany | Energy Per Square Meter Outlier (Kwh/M2) for all hotels in Germany | 390 | 80 | 2,4,6,7,12,13,14 |
| Germany | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Germany | 440 | 100 | 2,4,6,7,12,13,14 |
| Germany | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Germany | 330 | 70 | 2,4,6,7,12,13,14 |
| Germany | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Germanywith onsite laundry | 850 | 70 | 2,4,6,7,12,13,14 |
| Germany | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Germanywithout onsite laundry | 370 | 100 | 2,4,6,7,12,13,14 |
| Germany | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Germanywithout onsite laundry | 370 | 100 | 2,4,6,7,12,13,14 |
| Germany | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Germanywithout laundry data | 850 | 70 | 2,4,6,7,12,13,14 |
| Germany | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Germanywith onsite laundry | 370 | 60 | 2,4,6,7,12,13,14 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|--|----------------|---------------|---------------------|
| Germany | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Germanywithout onsite laundry | 340 | 70 | 2,4,6,7,12,13,14 |
| Germany | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Germanywithout onsite laundry | 340 | 70 | 2,4,6,7,12,13,14 |
| Germany | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Germanywithout laundry data | 190 | 100 | 2,4,6,7,12,13,14 |
| Germany | Energy Per Square Meter Outlier (Kwh/M2) for resort in Germanywith onsite laundry | 1030 | 70 | 2,4,6,7,12,13,14 |
| Germany | Energy Per Square Meter Outlier (Kwh/M2) for resort in Germanywithout onsite laundry | 280 | 270 | 2,4,6,7,12,13,14 |
| Germany | Energy Per Square Meter Outlier (Kwh/M2) for resort in Germanywithout onsite laundry | 280 | 270 | 2,4,6,7,12,13,14 |
| Germany | Energy Per Square Meter Outlier (Kwh/M2) for resort in Germanywithout laundry data | 690 | 220 | 2,4,6,7,12,13,14 |
| Germany | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Germanywith onsite laundry | 530 | 270 | 2,4,6,7,12,13,14 |
| Germany | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Germanywithout onsite laundry | 280 | 270 | 2,4,6,7,12,13,14 |
| Germany | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Germanywithout onsite laundry | 280 | 270 | 2,4,6,7,12,13,14 |
| Germany | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Germanywithout laundry data | 690 | 220 | 2,4,6,7,12,13,14 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|--|----------------|---------------|---------------------|
| India | Energy Per Occupied Room Outlier (kWh/ocrm) for all hotels in India | 320 | 30 | 1,3,5,12 |
| India | Energy Per Occupied Room Outlier (kWh/ocrm) for full service luxury hotels in India | 420 | 90 | 1,3,5,12 |
| India | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper upscale hotels in India | 300 | 70 | 1,3,5,12 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|--|----------------|---------------|---------------------|
| India | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upscale hotels in India | 210 | 40 | 1,3,5,12 |
| India | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper midscale hotels in India | 110 | 60 | 1,3,5,12 |
| India | Energy Per Occupied Room Outlier (kWh/ocrm) for full service midscale hotels in India | 230 | 10 | 1,3,5,12 |
| India | Energy Per Occupied Room Outlier (kWh/ocrm) for full service economy hotels in India | 70 | 20 | 1,3,5,12 |
| India | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service luxury hotels in India | 120 | 80 | 1,3,5,12 |
| India | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper upscale hotels in India | 120 | 80 | 1,3,5,12 |
| India | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upscale hotels in India | 170 | 40 | 1,3,5,12 |
| India | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper midscale hotels in India | 70 | 20 | 1,3,5,12 |
| India | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service midscale hotels in India | 70 | 20 | 1,3,5,12 |
| India | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service economy hotels in India | 90 | 10 | 1,3,5,12 |
| India | Energy Per Square Meter Outlier (Kwh/M2) for all hotels in India | 640 | 110 | 2,4,6,7,12,13,14 |
| India | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in India | 700 | 110 | 2,4,6,7,12,13,14 |
| India | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in India | 550 | 110 | 2,4,6,7,12,13,14 |
| India | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in India with onsite laundry | 700 | 120 | 2,4,6,7,12,13,14 |
| India | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in India without onsite laundry | 550 | 120 | 2,4,6,7,12,13,14 |
| India | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in India without onsite laundry | 550 | 120 | 2,4,6,7,12,13,14 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|---|----------------|---------------|---------------------|
| India | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in India without laundry data | 700 | 120 | 2,4,6,7,12,13,14 |
| India | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in India with onsite laundry | 600 | 130 | 2,4,6,7,12,13,14 |
| India | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in India without onsite laundry | 450 | 110 | 2,4,6,7,12,13,14 |
| India | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in India without onsite laundry | 450 | 110 | 2,4,6,7,12,13,14 |
| India | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in India without laundry data | 600 | 130 | 2,4,6,7,12,13,14 |
| India | Energy Per Square Meter Outlier (Kwh/M2) for resort in India with onsite laundry | 660 | 140 | 2,4,6,7,12,13,14 |
| India | Energy Per Square Meter Outlier (Kwh/M2) for resort in India without onsite laundry | 780 | 140 | 2,4,6,7,12,13,14 |
| India | Energy Per Square Meter Outlier (Kwh/M2) for resort in India without onsite laundry | 780 | 140 | 2,4,6,7,12,13,14 |
| India | Energy Per Square Meter Outlier (Kwh/M2) for resort in India without laundry data | 660 | 140 | 2,4,6,7,12,13,14 |
| India | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in India with onsite laundry | 660 | 140 | 2,4,6,7,12,13,14 |
| India | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in India without onsite laundry | 780 | 140 | 2,4,6,7,12,13,14 |
| India | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in India without onsite laundry | 780 | 140 | 2,4,6,7,12,13,14 |
| India | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in India without laundry data | 660 | 140 | 2,4,6,7,12,13,14 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|-----------|--|----------------|---------------|---------------------|
| Indonesia | Energy Per Occupied Room Outlier (kWh/ocrm) for all hotels in Indonesia | 390 | 10 | 1,3,5,12 |
| Indonesia | Energy Per Occupied Room Outlier (kWh/ocrm) for full service luxury hotels in Indonesia | 1550 | 40 | 1,3,5,12 |
| Indonesia | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper upscale hotels in Indonesia | 240 | 50 | 1,3,5,12 |
| Indonesia | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upscale hotels in Indonesia | 130 | 30 | 1,3,5,12 |
| Indonesia | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper midscale hotels in Indonesia | 160 | 20 | 1,3,5,12 |
| Indonesia | Energy Per Occupied Room Outlier (kWh/ocrm) for full service midscale hotels in Indonesia | 90 | 20 | 1,3,5,12 |
| Indonesia | Energy Per Occupied Room Outlier (kWh/ocrm) for full service economy hotels in Indonesia | 70 | 20 | 1,3,5,12 |
| Indonesia | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service luxury hotels in Indonesia | 110 | 50 | 1,3,5,12 |
| Indonesia | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper upscale hotels in Indonesia | 110 | 50 | 1,3,5,12 |
| Indonesia | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upscale hotels in Indonesia | 90 | 40 | 1,3,5,12 |
| Indonesia | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper midscale hotels in Indonesia | 110 | 20 | 1,3,5,12 |
| Indonesia | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service midscale hotels in Indonesia | 80 | 10 | 1,3,5,12 |
| Indonesia | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service economy hotels in Indonesia | 90 | 10 | 1,3,5,12 |
| Indonesia | Energy Per Square Meter Outlier (Kwh/M2) for all hotels in Indonesia | 550 | 70 | 2,4,6,7,12,13,14 |
| Indonesia | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Indonesia | 520 | 80 | 2,4,6,7,12,13,14 |
| Indonesia | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Indonesia | 430 | 70 | 2,4,6,7,12,13,14 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|-----------|---|----------------|---------------|---------------------|
| Indonesia | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Indonesia with onsite laundry | 630 | 70 | 2,4,6,7,12,13,14 |
| Indonesia | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Indonesia without onsite laundry | 500 | 80 | 2,4,6,7,12,13,14 |
| Indonesia | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Indonesia without onsite laundry | 500 | 80 | 2,4,6,7,12,13,14 |
| Indonesia | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Indonesia without laundry data | 630 | 70 | 2,4,6,7,12,13,14 |
| Indonesia | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Indonesia with onsite laundry | 490 | 60 | 2,4,6,7,12,13,14 |
| Indonesia | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Indonesia without onsite laundry | 330 | 90 | 2,4,6,7,12,13,14 |
| Indonesia | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Indonesia without onsite laundry | 330 | 90 | 2,4,6,7,12,13,14 |
| Indonesia | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Indonesia without laundry data | 250 | 50 | 2,4,6,7,12,13,14 |
| Indonesia | Energy Per Square Meter Outlier (Kwh/M2) for resort in Indonesia with onsite laundry | 1020 | 40 | 2,4,6,7,12,13,14 |
| Indonesia | Energy Per Square Meter Outlier (Kwh/M2) for resort in Indonesia without onsite laundry | 420 | 120 | 2,4,6,7,12,13,14 |
| Indonesia | Energy Per Square Meter Outlier (Kwh/M2) for resort in Indonesia without onsite laundry | 420 | 120 | 2,4,6,7,12,13,14 |
| Indonesia | Energy Per Square Meter Outlier (Kwh/M2) for resort in Indonesia without laundry data | 1020 | 40 | 2,4,6,7,12,13,14 |
| Indonesia | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Indonesia with onsite laundry | 1020 | 40 | 2,4,6,7,12,13,14 |
| Indonesia | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Indonesia without onsite laundry | 420 | 120 | 2,4,6,7,12,13,14 |
| Indonesia | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Indonesia without onsite laundry | 420 | 120 | 2,4,6,7,12,13,14 |
| Indonesia | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Indonesia without laundry data | 1020 | 40 | 2,4,6,7,12,13,14 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|--|----------------|---------------|---------------------|
| Japan | Energy Per Occupied Room Outlier (kWh/ocrm) for all hotels in Japan | 1230 | 10 | 1,3,5,12 |
| Japan | Energy Per Occupied Room Outlier (kWh/ocrm) for full service luxury hotels in Japan | 1370 | 90 | 1,3,5,12 |
| Japan | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper upscale hotels in Japan | 770 | 50 | 1,3,5,12 |
| Japan | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upscale hotels in Japan | 230 | 60 | 1,3,5,12 |
| Japan | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper midscale hotels in Japan | 580 | 10 | 1,3,5,12 |
| Japan | Energy Per Occupied Room Outlier (kWh/ocrm) for full service midscale hotels in Japan | 230 | 10 | 1,3,5,12 |
| Japan | Energy Per Occupied Room Outlier (kWh/ocrm) for full service economy hotels in Japan | 70 | 20 | 1,3,5,12 |
| Japan | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service luxury hotels in Japan | 330 | 20 | 1,3,5,12 |
| Japan | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper upscale hotels in Japan | 330 | 20 | 1,3,5,12 |
| Japan | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upscale hotels in Japan | 160 | 10 | 1,3,5,12 |
| Japan | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper midscale hotels in Japan | 140 | 10 | 1,3,5,12 |
| Japan | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service midscale hotels in Japan | 120 | 10 | 1,3,5,12 |
| Japan | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service economy hotels in Japan | 90 | 10 | 1,3,5,12 |
| Japan | Energy Per Square Meter Outlier (Kwh/M2) for all hotels in Japan | 820 | 60 | 2,4,6,7,12,13,14 |
| Japan | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Japan | 770 | 140 | 2,4,6,7,12,13,14 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|---|----------------|---------------|---------------------|
| Japan | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Japan | 400 | 60 | 2,4,6,7,12,13,14 |
| Japan | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Japan with onsite laundry | 880 | 150 | 2,4,6,7,12,13,14 |
| Japan | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Japan without onsite laundry | 760 | 140 | 2,4,6,7,12,13,14 |
| Japan | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Japan without onsite laundry | 760 | 140 | 2,4,6,7,12,13,14 |
| Japan | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Japan without laundry data | 880 | 150 | 2,4,6,7,12,13,14 |
| Japan | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Japan with onsite laundry | 320 | 110 | 2,4,6,7,12,13,14 |
| Japan | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Japan without onsite laundry | 310 | 60 | 2,4,6,7,12,13,14 |
| Japan | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Japan without onsite laundry | 310 | 60 | 2,4,6,7,12,13,14 |
| Japan | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Japan without laundry data | 410 | 50 | 2,4,6,7,12,13,14 |
| Japan | Energy Per Square Meter Outlier (Kwh/M2) for resort in Japan with onsite laundry | 510 | 210 | 2,4,6,7,12,13,14 |
| Japan | Energy Per Square Meter Outlier (Kwh/M2) for resort in Japan without onsite laundry | 800 | 140 | 2,4,6,7,12,13,14 |
| Japan | Energy Per Square Meter Outlier (Kwh/M2) for resort in Japan without onsite laundry | 800 | 140 | 2,4,6,7,12,13,14 |
| Japan | Energy Per Square Meter Outlier (Kwh/M2) for resort in Japan without laundry data | 510 | 210 | 2,4,6,7,12,13,14 |
| Japan | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Japan with onsite laundry | 510 | 210 | 2,4,6,7,12,13,14 |
| Japan | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Japan without onsite laundry | 800 | 140 | 2,4,6,7,12,13,14 |
| Japan | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Japan without onsite laundry | 800 | 140 | 2,4,6,7,12,13,14 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|---|----------------|---------------|---------------------|
| Japan | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Japan without laundry data | 510 | 210 | 2,4,6,7,12,13,14 |
| Mexico | Energy Per Occupied Room Outlier (kWh/ocrm) for all hotels in Mexico | 320 | 10 | 1,3,5,12 |
| Mexico | Energy Per Occupied Room Outlier (kWh/ocrm) for full service luxury hotels in Mexico | 360 | 60 | 1,3,5,12 |
| Mexico | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper upscale hotels in Mexico | 180 | 60 | 1,3,5,12 |
| Mexico | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upscale hotels in Mexico | 220 | 10 | 1,3,5,12 |
| Mexico | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper midscale hotels in Mexico | 110 | 20 | 1,3,5,12 |
| Mexico | Energy Per Occupied Room Outlier (kWh/ocrm) for full service midscale hotels in Mexico | 230 | 10 | 1,3,5,12 |
| Mexico | Energy Per Occupied Room Outlier (kWh/ocrm) for full service economy hotels in Mexico | 70 | 20 | 1,3,5,12 |
| Mexico | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service luxury hotels in Mexico | 100 | 20 | 1,3,5,12 |
| Mexico | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper upscale hotels in Mexico | 100 | 20 | 1,3,5,12 |
| Mexico | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upscale hotels in Mexico | 100 | 20 | 1,3,5,12 |
| Mexico | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper midscale hotels in Mexico | 80 | 10 | 1,3,5,12 |
| Mexico | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service midscale hotels in Mexico | 60 | 10 | 1,3,5,12 |
| Mexico | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service economy hotels in Mexico | 90 | 10 | 1,3,5,12 |
| Mexico | Energy Per Square Meter Outlier (Kwh/M2) for all hotels in Mexico | 1140 | 30 | 2,4,6,7,12,13,14 |
| Mexico | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Mexico | 1620 | 40 | 2,4,6,7,12,13,14 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|--|----------------|---------------|---------------------|
| Mexico | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Mexico | 610 | 30 | 2,4,6,7,12,13,14 |
| Mexico | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Mexicowith onsite laundry | 1620 | 50 | 2,4,6,7,12,13,14 |
| Mexico | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Mexicowithout onsite laundry | 1270 | 40 | 2,4,6,7,12,13,14 |
| Mexico | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Mexicowithout onsite laundry | 1270 | 40 | 2,4,6,7,12,13,14 |
| Mexico | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Mexico without laundry data | 1620 | 50 | 2,4,6,7,12,13,14 |
| Mexico | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Mexico with onsite laundry | 760 | 20 | 2,4,6,7,12,13,14 |
| Mexico | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Mexico without onsite laundry | 470 | 50 | 2,4,6,7,12,13,14 |
| Mexico | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Mexico without onsite laundry | 470 | 50 | 2,4,6,7,12,13,14 |
| Mexico | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Mexico without laundry data | 760 | 20 | 2,4,6,7,12,13,14 |
| Mexico | Energy Per Square Meter Outlier (Kwh/M2) for resort in Mexico with onsite laundry | 1000 | 190 | 2,4,6,7,12,13,14 |
| Mexico | Energy Per Square Meter Outlier (Kwh/M2) for resort in Mexico without onsite laundry | 1120 | 110 | 2,4,6,7,12,13,14 |
| Mexico | Energy Per Square Meter Outlier (Kwh/M2) for resort in Mexico without onsite laundry | 1120 | 110 | 2,4,6,7,12,13,14 |
| Mexico | Energy Per Square Meter Outlier (Kwh/M2) for resort in Mexico without laundry data | 1000 | 190 | 2,4,6,7,12,13,14 |
| Mexico | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Mexico with onsite laundry | 1000 | 190 | 2,4,6,7,12,13,14 |
| Mexico | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Mexico without onsite laundry | 1120 | 110 | 2,4,6,7,12,13,14 |
| Mexico | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Mexico without onsite laundry | 1120 | 110 | 2,4,6,7,12,13,14 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|----------|---|----------------|---------------|---------------------|
| Mexico | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Mexico without laundry data | 1000 | 190 | 2,4,6,7,12,13,14 |
| Thailand | Energy Per Occupied Room Outlier (kWh/ocrm) for all hotels in Thailand | 200 | 10 | 1,3,5,12 |
| Thailand | Energy Per Occupied Room Outlier (kWh/ocrm) for full service luxury hotels in Thailand | 1330 | 40 | 1,3,5,12 |
| Thailand | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper upscale hotels in Thailand | 280 | 50 | 1,3,5,12 |
| Thailand | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upscale hotels in Thailand | 190 | 40 | 1,3,5,12 |
| Thailand | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper midscale hotels in Thailand | 190 | 40 | 1,3,5,12 |
| Thailand | Energy Per Occupied Room Outlier (kWh/ocrm) for full service midscale hotels in Thailand | 100 | 30 | 1,3,5,12 |
| Thailand | Energy Per Occupied Room Outlier (kWh/ocrm) for full service economy hotels in Thailand | 70 | 20 | 1,3,5,12 |
| Thailand | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service luxury hotels in Thailand | 130 | 60 | 1,3,5,12 |
| Thailand | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper upscale hotels in Thailand | 130 | 60 | 1,3,5,12 |
| Thailand | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upscale hotels in Thailand | 110 | 20 | 1,3,5,12 |
| Thailand | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper midscale hotels in Thailand | 90 | 20 | 1,3,5,12 |
| Thailand | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service midscale hotels in Thailand | 280 | 10 | 1,3,5,12 |
| Thailand | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service economy hotels in Thailand | 90 | 10 | 1,3,5,12 |
| Thailand | Energy Per Square Meter Outlier (Kwh/M2) for all hotels in Thailand | 530 | 80 | 2,4,6,7,12,13,14 |
| Thailand | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Thailand | 1310 | 10 | 2,4,6,7,12,13,14 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|----------|--|----------------|---------------|---------------------|
| Thailand | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Thailand | 460 | 80 | 2,4,6,7,12,13,14 |
| Thailand | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Thailand with onsite laundry | 850 | 70 | 2,4,6,7,12,13,14 |
| Thailand | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Thailand without onsite laundry | 1030 | 30 | 2,4,6,7,12,13,14 |
| Thailand | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Thailand without onsite laundry | 1030 | 30 | 2,4,6,7,12,13,14 |
| Thailand | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in Thailand without laundry data | 930 | 110 | 2,4,6,7,12,13,14 |
| Thailand | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Thailand with onsite laundry | 460 | 80 | 2,4,6,7,12,13,14 |
| Thailand | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Thailand without onsite laundry | 340 | 50 | 2,4,6,7,12,13,14 |
| Thailand | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Thailand without onsite laundry | 340 | 50 | 2,4,6,7,12,13,14 |
| Thailand | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in Thailand without laundry data | 250 | 30 | 2,4,6,7,12,13,14 |
| Thailand | Energy Per Square Meter Outlier (Kwh/M2) for resort in Thailand with onsite laundry | 1030 | 70 | 2,4,6,7,12,13,14 |
| Thailand | Energy Per Square Meter Outlier (Kwh/M2) for resort in Thailand without onsite laundry | 970 | 30 | 2,4,6,7,12,13,14 |
| Thailand | Energy Per Square Meter Outlier (Kwh/M2) for resort in Thailand without onsite laundry | 970 | 30 | 2,4,6,7,12,13,14 |
| Thailand | Energy Per Square Meter Outlier (Kwh/M2) for resort in Thailand without laundry data | 1030 | 70 | 2,4,6,7,12,13,14 |
| Thailand | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Thailand with onsite laundry | 1030 | 70 | 2,4,6,7,12,13,14 |
| Thailand | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Thailand without onsite laundry | 970 | 30 | 2,4,6,7,12,13,14 |
| Thailand | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Thailand without onsite laundry | 970 | 30 | 2,4,6,7,12,13,14 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|----------------|---|----------------|---------------|---------------------|
| Thailand | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in Thailand without laundry data | 1030 | 70 | 2,4,6,7,12,13,14 |
| United Kingdom | Energy Per Occupied Room Outlier (kWh/ocrm) for all hotels in United Kingdom | 200 | 10 | 1,3,5,12 |
| United Kingdom | Energy Per Occupied Room Outlier (kWh/ocrm) for full service luxury hotels in United Kingdom | 410 | 30 | 1,3,5,12 |
| United Kingdom | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper upscale hotels in United Kingdom | 190 | 30 | 1,3,5,12 |
| United Kingdom | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upscale hotels in United Kingdom | 230 | 20 | 1,3,5,12 |
| United Kingdom | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper midscale hotels in United Kingdom | 130 | 10 | 1,3,5,12 |
| United Kingdom | Energy Per Occupied Room Outlier (kWh/ocrm) for full service midscale hotels in United Kingdom | 230 | 10 | 1,3,5,12 |
| United Kingdom | Energy Per Occupied Room Outlier (kWh/ocrm) for full service economy hotels in United Kingdom | 70 | 20 | 1,3,5,12 |
| United Kingdom | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service luxury hotels in United Kingdom | 100 | 10 | 1,3,5,12 |
| United Kingdom | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper upscale hotels in United Kingdom | 100 | 10 | 1,3,5,12 |
| United Kingdom | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upscale hotels in United Kingdom | 60 | 20 | 1,3,5,12 |
| United Kingdom | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper midscale hotels in United Kingdom | 60 | 20 | 1,3,5,12 |
| United Kingdom | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service midscale hotels in United Kingdom | 60 | 20 | 1,3,5,12 |
| United Kingdom | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service economy hotels in United Kingdom | 40 | 10 | 1,3,5,12 |
| United Kingdom | Energy Per Square Meter Outlier (Kwh/M2) for all hotels in United Kingdom | 860 | 50 | 2,4,6,7,12,13,14 |
| United Kingdom | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in United Kingdom | 800 | 80 | 2,4,6,7,12,13,14 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|----------------|--|----------------|---------------|---------------------|
| United Kingdom | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in United Kingdom | 820 | 30 | 2,4,6,7,12,13,14 |
| United Kingdom | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in United Kingdom with onsite laundry | 700 | 80 | 2,4,6,7,12,13,14 |
| United Kingdom | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in United Kingdom without onsite laundry | 790 | 90 | 2,4,6,7,12,13,14 |
| United Kingdom | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in United Kingdom without onsite laundry | 790 | 90 | 2,4,6,7,12,13,14 |
| United Kingdom | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in United Kingdom without laundry data | 700 | 80 | 2,4,6,7,12,13,14 |
| United Kingdom | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in United Kingdom with onsite laundry | 480 | 30 | 2,4,6,7,12,13,14 |
| United Kingdom | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in United Kingdom without onsite laundry | 840 | 40 | 2,4,6,7,12,13,14 |
| United Kingdom | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in United Kingdom without onsite laundry | 840 | 40 | 2,4,6,7,12,13,14 |
| United Kingdom | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in United Kingdom without laundry data | 480 | 30 | 2,4,6,7,12,13,14 |
| United Kingdom | Energy Per Square Meter Outlier (Kwh/M2) for resort in United Kingdom with onsite laundry | 340 | 120 | 2,4,6,7,12,13,14 |
| United Kingdom | Energy Per Square Meter Outlier (Kwh/M2) for resort in United Kingdom without onsite laundry | 340 | 120 | 2,4,6,7,12,13,14 |
| United Kingdom | Energy Per Square Meter Outlier (Kwh/M2) for resort in United Kingdom without onsite laundry | 340 | 120 | 2,4,6,7,12,13,14 |
| United Kingdom | Energy Per Square Meter Outlier (Kwh/M2) for resort in United Kingdom without laundry data | 340 | 120 | 2,4,6,7,12,13,14 |
| United Kingdom | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in United Kingdom with onsite laundry | 340 | 120 | 2,4,6,7,12,13,14 |
| United Kingdom | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in United Kingdom without onsite laundry | 340 | 120 | 2,4,6,7,12,13,14 |
| United Kingdom | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in United Kingdom without onsite laundry | 340 | 120 | 2,4,6,7,12,13,14 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|----------------|--|----------------|---------------|---------------------|
| United Kingdom | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in United Kingdom without laundry data | 340 | 120 | 2,4,6,7,12,13,14 |
| United States | Energy Per Occupied Room Outlier (kWh/ocrm) for all hotels in United States | 120 | 20 | 1,3,5,12 |
| United States | Energy Per Occupied Room Outlier (kWh/ocrm) for full service luxury hotels in United States | 570 | 30 | 1,3,5,12 |
| United States | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper upscale hotels in United States | 210 | 30 | 1,3,5,12 |
| United States | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upscale hotels in United States | 160 | 20 | 1,3,5,12 |
| United States | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper midscale hotels in United States | 170 | 20 | 1,3,5,12 |
| United States | Energy Per Occupied Room Outlier (kWh/ocrm) for full service midscale hotels in United States | 210 | 30 | 1,3,5,12 |
| United States | Energy Per Occupied Room Outlier (kWh/ocrm) for full service economy hotels in United States | 70 | 20 | 1,3,5,12 |
| United States | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service luxury hotels in United States | 210 | 30 | 1,3,5,12 |
| United States | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper upscale hotels in United States | 150 | 10 | 1,3,5,12 |
| United States | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upscale hotels in United States | 100 | 20 | 1,3,5,12 |
| United States | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper midscale hotels in United States | 80 | 20 | 1,3,5,12 |
| United States | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service midscale hotels in United States | 70 | 10 | 1,3,5,12 |
| United States | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service economy hotels in United States | 810 | 10 | 1,3,5,12 |
| United States | Energy Per Square Meter Outlier (Kwh/M2) for all hotels in United States | 470 | 100 | 2,4,6,7,12,13,14 |
| United States | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in United States | 640 | 110 | 2,4,6,7,12,13,14 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------------|--|----------------|---------------|---------------------|
| United States | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in United States | 410 | 100 | 2,4,6,7,12,13,14 |
| United States | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in United Stateswith onsite laundry | 840 | 80 | 2,4,6,7,12,13,14 |
| United States | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in United Stateswithout onsite laundry | 570 | 120 | 2,4,6,7,12,13,14 |
| United States | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in United Stateswithout onsite laundry | 570 | 120 | 2,4,6,7,12,13,14 |
| United States | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels in United Stateswithout laundry data | 700 | 200 | 2,4,6,7,12,13,14 |
| United States | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in United Stateswith onsite laundry | 430 | 80 | 2,4,6,7,12,13,14 |
| United States | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in United Stateswithout onsite laundry | 400 | 120 | 2,4,6,7,12,13,14 |
| United States | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in United Stateswithout onsite laundry | 400 | 120 | 2,4,6,7,12,13,14 |
| United States | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels in United Stateswithout laundry data | 430 | 80 | 2,4,6,7,12,13,14 |
| United States | Energy Per Square Meter Outlier (Kwh/M2) for resort in United Stateswith onsite laundry | 1010 | 110 | 2,4,6,7,12,13,14 |
| United States | Energy Per Square Meter Outlier (Kwh/M2) for resort in United Stateswithout onsite laundry | 760 | 110 | 2,4,6,7,12,13,14 |
| United States | Energy Per Square Meter Outlier (Kwh/M2) for resort in United Stateswithout onsite laundry | 760 | 110 | 2,4,6,7,12,13,14 |
| United States | Energy Per Square Meter Outlier (Kwh/M2) for resort in United Stateswithout laundry data | 690 | 220 | 2,4,6,7,12,13,14 |
| United States | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in United Stateswith onsite laundry | 560 | 300 | 2,4,6,7,12,13,14 |
| United States | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in United Stateswithout onsite laundry | 710 | 210 | 2,4,6,7,12,13,14 |
| United States | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in United Stateswithout onsite laundry | 710 | 210 | 2,4,6,7,12,13,14 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|-----------------|--|----------------|---------------|---------------------|
| United States | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort in United States without laundry data | 690 | 220 | 2,4,6,7,12,13,14 |
| Other Countries | Energy Per Occupied Room Outlier (kWh/ocrm) for all hotels | 200 | 10 | 1,3,5,12 |
| Other Countries | Energy Per Occupied Room Outlier (kWh/ocrm) for full service luxury hotels | 820 | 40 | 1,3,5,12 |
| Other Countries | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper upscale hotels | 310 | 30 | 1,3,5,12 |
| Other Countries | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upscale hotels | 260 | 20 | 1,3,5,12 |
| Other Countries | Energy Per Occupied Room Outlier (kWh/ocrm) for full service upper midscale hotels | 200 | 10 | 1,3,5,12 |
| Other Countries | Energy Per Occupied Room Outlier (kWh/ocrm) for full service midscale hotels | 230 | 10 | 1,3,5,12 |
| Other Countries | Energy Per Occupied Room Outlier (kWh/ocrm) for full service economy hotels | 70 | 20 | 1,3,5,12 |
| Other Countries | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service luxury hotels | 220 | 10 | 1,3,5,12 |
| Other Countries | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper upscale hotels | 220 | 10 | 1,3,5,12 |
| Other Countries | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upscale hotels | 110 | 20 | 1,3,5,12 |
| Other Countries | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service upper midscale hotels | 90 | 20 | 1,3,5,12 |
| Other Countries | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service midscale hotels | 120 | 10 | 1,3,5,12 |
| Other Countries | Energy Per Occupied Room Outlier (kWh/ocrm) for limited service economy hotels | 90 | 10 | 1,3,5,12 |
| Other Countries | Energy Per Square Meter Outlier (Kwh/M2) for all hotels | 530 | 80 | 2,4,6,7,12,13,14 |
| Other Countries | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels | 680 | 90 | 2,4,6,7,12,13,14 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|-----------------|--|----------------|---------------|---------------------|
| Other Countries | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels | 460 | 80 | 2,4,6,7,12,13,14 |
| Other Countries | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels with onsite laundry | 850 | 70 | 2,4,6,7,12,13,14 |
| Other Countries | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels without onsite laundry | 600 | 90 | 2,4,6,7,12,13,14 |
| Other Countries | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels without onsite laundry | 600 | 90 | 2,4,6,7,12,13,14 |
| Other Countries | Energy Per Square Meter Outlier (Kwh/M2) for full service hotels without laundry data | 930 | 110 | 2,4,6,7,12,13,14 |
| Other Countries | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels with onsite laundry | 460 | 80 | 2,4,6,7,12,13,14 |
| Other Countries | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels without onsite laundry | 450 | 80 | 2,4,6,7,12,13,14 |
| Other Countries | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels without onsite laundry | 450 | 80 | 2,4,6,7,12,13,14 |
| Other Countries | Energy Per Square Meter Outlier (Kwh/M2) for limited service hotels without laundry data | 290 | 30 | 2,4,6,7,12,13,14 |
| Other Countries | Energy Per Square Meter Outlier (Kwh/M2) for resort with onsite laundry | 1030 | 70 | 2,4,6,7,12,13,14 |
| Other Countries | Energy Per Square Meter Outlier (Kwh/M2) for resort without onsite laundry | 890 | 80 | 2,4,6,7,12,13,14 |
| Other Countries | Energy Per Square Meter Outlier (Kwh/M2) for resort without onsite laundry | 890 | 80 | 2,4,6,7,12,13,14 |
| Other Countries | Energy Per Square Meter Outlier (Kwh/M2) for resort without laundry data | 690 | 220 | 2,4,6,7,12,13,14 |
| Other Countries | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort with onsite laundry | 530 | 270 | 2,4,6,7,12,13,14 |
| Other Countries | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort without onsite laundry | 430 | 230 | 2,4,6,7,12,13,14 |
| Other Countries | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort without onsite laundry | 430 | 230 | 2,4,6,7,12,13,14 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|-----------------|---|----------------|---------------|---------------------|
| Other Countries | Energy Per Square Meter Outlier (Kwh/M2) for integrated resort without laundry data | 690 | 220 | 2,4,6,7,12,13,14 |

List of Validity Tests performed on Water Data

Properties in the following countries use country-specific thresholds, while properties in other countries use global thresholds (see “Other Countries”):

1. [Australia](#)
2. [Canada](#)
3. [China](#)
4. [France](#)
5. [Germany](#)
6. [India](#)
7. [Indonesia](#)
8. [Japan](#)
9. [Mexico](#)
10. [Thailand](#)
11. [United Kingdom](#)
12. [United States](#)
13. [Other Countries](#)

Water data that passed the following validity tests are included in the data set for the associated measure.

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------------|--|----------------|---------------|--------------------------------|
| All Countries | Property did not provide any water usage data | N/A | N/A | 8-11 |
| All Countries | Data did not have 12 separate water data points | N/A | N/A | 8-11 |
| All Countries | At least one energy or water source had a high variance of a ratio of 4 to 1 between high/low months or 80% month-to-month | N/A | N/A | Notified only, no action taken |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|-----------|--|----------------|---------------|---------------------|
| Australia | Water Per Occupied Room Outlier (L/OCRM) for all hotels in Australia | 810 | 100 | 8,10 |
| Australia | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Australia | 870 | 130 | 8,10 |
| Australia | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Australia | 440 | 100 | 8,10 |
| Australia | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Australiawith onsite laundry | 1340 | 90 | 8,10 |
| Australia | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Australiawithout onsite laundry | 770 | 140 | 8,10 |
| Australia | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Australiawithout onsite laundry | 770 | 140 | 8,10 |
| Australia | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Australiawithout laundry data | 1340 | 90 | 8,10 |
| Australia | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Australiawith onsite laundry | 450 | 70 | 8,10 |
| Australia | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Australiawithout onsite laundry | 430 | 100 | 8,10 |
| Australia | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Australiawithout onsite laundry | 430 | 100 | 8,10 |
| Australia | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Australiawithout laundry data | 1350 | 120 | 8,10 |
| Australia | Water Per Occupied Room Outlier (L/OCRM) for resort in Australiawith onsite laundry | 5460 | 70 | 8,10 |
| Australia | Water Per Occupied Room Outlier (L/OCRM) for resort in Australiawithout onsite laundry | 1040 | 150 | 8,10 |
| Australia | Water Per Occupied Room Outlier (L/OCRM) for resort in Australiawithout onsite laundry | 1040 | 150 | 8,10 |
| Australia | Water Per Occupied Room Outlier (L/OCRM) for resort in Australiawithout laundry data | 5460 | 70 | 8,10 |
| Australia | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Australiawith onsite laundry | 5460 | 70 | 8,10 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|-----------|--|----------------|---------------|---------------------|
| Australia | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Australia without onsite laundry | 1040 | 150 | 8,10 |
| Australia | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Australia without onsite laundry | 1040 | 150 | 8,10 |
| Australia | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Australia without laundry data | 5460 | 70 | 8,10 |
| Australia | Water Per Square Meter Outlier (L/M2) for all hotels in Australia | 2830 | 400 | 9,11 |
| Australia | Water Per Square Meter Outlier (L/M2) for full service hotels in Australia | 2990 | 360 | 9,11 |
| Australia | Water Per Square Meter Outlier (L/M2) for limited service hotels in Australia | 2140 | 630 | 9,11 |
| Australia | Water Per Square Meter Outlier (L/M2) for full service hotels in Australia with onsite laundry | 3200 | 310 | 9,11 |
| Australia | Water Per Square Meter Outlier (L/M2) for full service hotels in Australia without onsite laundry | 2930 | 370 | 9,11 |
| Australia | Water Per Square Meter Outlier (L/M2) for full service hotels in Australia without onsite laundry | 2930 | 370 | 9,11 |
| Australia | Water Per Square Meter Outlier (L/M2) for full service hotels in Australia without laundry data | 3200 | 310 | 9,11 |
| Australia | Water Per Square Meter Outlier (L/M2) for limited service hotels in Australia with onsite laundry | 3010 | 210 | 9,11 |
| Australia | Water Per Square Meter Outlier (L/M2) for limited service hotels in Australia without onsite laundry | 2680 | 570 | 9,11 |
| Australia | Water Per Square Meter Outlier (L/M2) for limited service hotels in Australia without onsite laundry | 2680 | 570 | 9,11 |
| Australia | Water Per Square Meter Outlier (L/M2) for limited service hotels in Australia without laundry data | 1750 | 670 | 9,11 |
| Australia | Water Per Square Meter Outlier (L/M2) for resort in Australia with onsite laundry | 2850 | 1010 | 9,11 |
| Australia | Water Per Square Meter Outlier (L/M2) for resort in Australia without onsite laundry | 2900 | 690 | 9,11 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|-----------|--|----------------|---------------|---------------------|
| Australia | Water Per Square Meter Outlier (L/M2) for resort in Australiawithout onsite laundry | 2900 | 690 | 9,11 |
| Australia | Water Per Square Meter Outlier (L/M2) for resort in Australiawithout laundry data | 2850 | 1010 | 9,11 |
| Australia | Water Per Square Meter Outlier (L/M2) for integrated resort in Australiawith onsite laundry | 2850 | 1010 | 9,11 |
| Australia | Water Per Square Meter Outlier (L/M2) for integrated resort in Australiawithout onsite laundry | 2900 | 690 | 9,11 |
| Australia | Water Per Square Meter Outlier (L/M2) for integrated resort in Australiawithout onsite laundry | 2900 | 690 | 9,11 |
| Australia | Water Per Square Meter Outlier (L/M2) for integrated resort in Australiawithout laundry data | 2850 | 1010 | 9,11 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|--|----------------|---------------|---------------------|
| Canada | Water Per Occupied Room Outlier (L/OCRM) for all hotels in Canada | 1210 | 170 | 8,10 |
| Canada | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Canada | 1670 | 180 | 8,10 |
| Canada | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Canada | 830 | 190 | 8,10 |
| Canada | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Canadawith onsite laundry | 1440 | 210 | 8,10 |
| Canada | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Canadawithout onsite laundry | 1950 | 160 | 8,10 |
| Canada | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Canadawithout onsite laundry | 1950 | 160 | 8,10 |
| Canada | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Canadawithout laundry data | 1440 | 210 | 8,10 |
| Canada | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Canadawith onsite laundry | 800 | 200 | 8,10 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|---|----------------|---------------|---------------------|
| Canada | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Canadawithout onsite laundry | 910 | 160 | 8,10 |
| Canada | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Canadawithout onsite laundry | 910 | 160 | 8,10 |
| Canada | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Canadawithout laundry data | 800 | 200 | 8,10 |
| Canada | Water Per Occupied Room Outlier (L/OCRM) for resort in Canadawith onsite laundry | 5850 | 850 | 8,10 |
| Canada | Water Per Occupied Room Outlier (L/OCRM) for resort in Canadawithout onsite laundry | 3590 | 80 | 8,10 |
| Canada | Water Per Occupied Room Outlier (L/OCRM) for resort in Canadawithout onsite laundry | 3590 | 80 | 8,10 |
| Canada | Water Per Occupied Room Outlier (L/OCRM) for resort in Canadawithout laundry data | 5850 | 850 | 8,10 |
| Canada | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Canadawith onsite laundry | 5850 | 850 | 8,10 |
| Canada | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Canadawithout onsite laundry | 3590 | 80 | 8,10 |
| Canada | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Canadawithout onsite laundry | 3590 | 80 | 8,10 |
| Canada | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Canadawithout laundry data | 5850 | 850 | 8,10 |
| Canada | Water Per Square Meter Outlier (L/M2) for all hotels in Canada | 5580 | 520 | 9,11 |
| Canada | Water Per Square Meter Outlier (L/M2) for full service hotels in Canada | 6210 | 450 | 9,11 |
| Canada | Water Per Square Meter Outlier (L/M2) for limited service hotels in Canada | 5090 | 570 | 9,11 |
| Canada | Water Per Square Meter Outlier (L/M2) for full service hotels in Canadawith onsite laundry | 6070 | 530 | 9,11 |
| Canada | Water Per Square Meter Outlier (L/M2) for full service hotels in Canadawithout onsite laundry | 4770 | 490 | 9,11 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|--|----------------|---------------|---------------------|
| Canada | Water Per Square Meter Outlier (L/M2) for full service hotels in Canadawithout onsite laundry | 4770 | 490 | 9,11 |
| Canada | Water Per Square Meter Outlier (L/M2) for full service hotels in Canadawithout laundry data | 6070 | 530 | 9,11 |
| Canada | Water Per Square Meter Outlier (L/M2) for limited service hotels in Canadawith onsite laundry | 5160 | 560 | 9,11 |
| Canada | Water Per Square Meter Outlier (L/M2) for limited service hotels in Canadawithout onsite laundry | 4890 | 600 | 9,11 |
| Canada | Water Per Square Meter Outlier (L/M2) for limited service hotels in Canadawithout onsite laundry | 4890 | 600 | 9,11 |
| Canada | Water Per Square Meter Outlier (L/M2) for limited service hotels in Canadawithout laundry data | 5160 | 560 | 9,11 |
| Canada | Water Per Square Meter Outlier (L/M2) for resort in Canadawith onsite laundry | 3990 | 1070 | 9,11 |
| Canada | Water Per Square Meter Outlier (L/M2) for resort in Canadawithout onsite laundry | 7770 | 280 | 9,11 |
| Canada | Water Per Square Meter Outlier (L/M2) for resort in Canadawithout onsite laundry | 7770 | 280 | 9,11 |
| Canada | Water Per Square Meter Outlier (L/M2) for resort in Canadawithout laundry data | 3990 | 1070 | 9,11 |
| Canada | Water Per Square Meter Outlier (L/M2) for integrated resort in Canadawith onsite laundry | 3990 | 1070 | 9,11 |
| Canada | Water Per Square Meter Outlier (L/M2) for integrated resort in Canadawithout onsite laundry | 7770 | 280 | 9,11 |
| Canada | Water Per Square Meter Outlier (L/M2) for integrated resort in Canadawithout onsite laundry | 7770 | 280 | 9,11 |
| Canada | Water Per Square Meter Outlier (L/M2) for integrated resort in Canadawithout laundry data | 3990 | 1070 | 9,11 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|--|----------------|---------------|---------------------|
| China | Water Per Occupied Room Outlier (L/OCRM) for all hotels in China | 5950 | 140 | 8,10 |
| China | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in China | 4330 | 470 | 8,10 |
| China | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in China | 2000 | 90 | 8,10 |
| China | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Chinawith onsite laundry | 4080 | 550 | 8,10 |
| China | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Chinawithout onsite laundry | 4250 | 410 | 8,10 |
| China | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Chinawithout onsite laundry | 4250 | 410 | 8,10 |
| China | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Chinawithout laundry data | 4080 | 550 | 8,10 |
| China | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Chinawith onsite laundry | 3250 | 70 | 8,10 |
| China | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Chinawithout onsite laundry | 1670 | 110 | 8,10 |
| China | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Chinawithout onsite laundry | 1670 | 110 | 8,10 |
| China | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Chinawithout laundry data | 1130 | 120 | 8,10 |
| China | Water Per Occupied Room Outlier (L/OCRM) for resort in Chinawith onsite laundry | 7790 | 670 | 8,10 |
| China | Water Per Occupied Room Outlier (L/OCRM) for resort in Chinawithout onsite laundry | 11860 | 470 | 8,10 |
| China | Water Per Occupied Room Outlier (L/OCRM) for resort in Chinawithout onsite laundry | 11860 | 470 | 8,10 |
| China | Water Per Occupied Room Outlier (L/OCRM) for resort in Chinawithout laundry data | 7790 | 670 | 8,10 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|---|----------------|---------------|---------------------|
| China | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Chinawith onsite laundry | 7790 | 670 | 8,10 |
| China | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Chinawithout onsite laundry | 11860 | 470 | 8,10 |
| China | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Chinawithout onsite laundry | 11860 | 470 | 8,10 |
| China | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Chinawithout laundry data | 7790 | 670 | 8,10 |
| China | Water Per Square Meter Outlier (L/M2) for all hotels in China | 4310 | 370 | 9,11 |
| China | Water Per Square Meter Outlier (L/M2) for full service hotels in China | 4290 | 510 | 9,11 |
| China | Water Per Square Meter Outlier (L/M2) for limited service hotels in China | 3200 | 280 | 9,11 |
| China | Water Per Square Meter Outlier (L/M2) for full service hotels in Chinawith onsite laundry | 4590 | 500 | 9,11 |
| China | Water Per Square Meter Outlier (L/M2) for full service hotels in Chinawithout onsite laundry | 3930 | 490 | 9,11 |
| China | Water Per Square Meter Outlier (L/M2) for full service hotels in Chinawithout onsite laundry | 3930 | 490 | 9,11 |
| China | Water Per Square Meter Outlier (L/M2) for full service hotels in Chinawithout laundry data | 4590 | 500 | 9,11 |
| China | Water Per Square Meter Outlier (L/M2) for limited service hotels in Chinawith onsite laundry | 3340 | 330 | 9,11 |
| China | Water Per Square Meter Outlier (L/M2) for limited service hotels in Chinawithout onsite laundry | 3330 | 270 | 9,11 |
| China | Water Per Square Meter Outlier (L/M2) for limited service hotels in Chinawithout onsite laundry | 3330 | 270 | 9,11 |
| China | Water Per Square Meter Outlier (L/M2) for limited service hotels in Chinawithout laundry data | 2360 | 230 | 9,11 |
| China | Water Per Square Meter Outlier (L/M2) for resort in Chinawith onsite laundry | 7870 | 690 | 9,11 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|--|----------------|---------------|---------------------|
| China | Water Per Square Meter Outlier (L/M2) for resort in Chinawithout onsite laundry | 6490 | 280 | 9,11 |
| China | Water Per Square Meter Outlier (L/M2) for resort in Chinawithout onsite laundry | 6490 | 280 | 9,11 |
| China | Water Per Square Meter Outlier (L/M2) for resort in Chinawithout laundry data | 7870 | 690 | 9,11 |
| China | Water Per Square Meter Outlier (L/M2) for integrated resort in Chinawith onsite laundry | 7870 | 690 | 9,11 |
| China | Water Per Square Meter Outlier (L/M2) for integrated resort in Chinawithout onsite laundry | 6490 | 280 | 9,11 |
| China | Water Per Square Meter Outlier (L/M2) for integrated resort in Chinawithout onsite laundry | 6490 | 280 | 9,11 |
| China | Water Per Square Meter Outlier (L/M2) for integrated resort in Chinawithout laundry data | 7870 | 690 | 9,11 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|--|----------------|---------------|---------------------|
| France | Water Per Occupied Room Outlier (L/OCRM) for all hotels in France | 470 | 80 | 8,10 |
| France | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in France | 710 | 130 | 8,10 |
| France | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in France | 350 | 90 | 8,10 |
| France | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Francewith onsite laundry | 2210 | 120 | 8,10 |
| France | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Francewithout onsite laundry | 690 | 140 | 8,10 |
| France | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Francewithout onsite laundry | 690 | 140 | 8,10 |
| France | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Francewithout laundry data | 810 | 500 | 8,10 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|--|----------------|---------------|---------------------|
| France | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in France with onsite laundry | 270 | 120 | 8,10 |
| France | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in France without onsite laundry | 330 | 90 | 8,10 |
| France | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in France without onsite laundry | 330 | 90 | 8,10 |
| France | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in France without laundry data | 340 | 180 | 8,10 |
| France | Water Per Occupied Room Outlier (L/OCRM) for resort in France with onsite laundry | 1780 | 1770 | 8,10 |
| France | Water Per Occupied Room Outlier (L/OCRM) for resort in France without onsite laundry | 1560 | 160 | 8,10 |
| France | Water Per Occupied Room Outlier (L/OCRM) for resort in France without onsite laundry | 1560 | 160 | 8,10 |
| France | Water Per Occupied Room Outlier (L/OCRM) for resort in France without laundry data | 1780 | 1770 | 8,10 |
| France | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in France with onsite laundry | 1780 | 1770 | 8,10 |
| France | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in France without onsite laundry | 1560 | 160 | 8,10 |
| France | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in France without onsite laundry | 1560 | 160 | 8,10 |
| France | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in France without laundry data | 1780 | 1770 | 8,10 |
| France | Water Per Square Meter Outlier (L/M2) for all hotels in France | 2950 | 460 | 9,11 |
| France | Water Per Square Meter Outlier (L/M2) for full service hotels in France | 2800 | 540 | 9,11 |
| France | Water Per Square Meter Outlier (L/M2) for limited service hotels in France | 3010 | 440 | 9,11 |
| France | Water Per Square Meter Outlier (L/M2) for full service hotels in France with onsite laundry | 12080 | 470 | 9,11 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|---|----------------|---------------|---------------------|
| France | Water Per Square Meter Outlier (L/M2) for full service hotels in France without onsite laundry | 2410 | 580 | 9,11 |
| France | Water Per Square Meter Outlier (L/M2) for full service hotels in France without onsite laundry | 2410 | 580 | 9,11 |
| France | Water Per Square Meter Outlier (L/M2) for full service hotels in France without laundry data | 7040 | 1280 | 9,11 |
| France | Water Per Square Meter Outlier (L/M2) for limited service hotels in France with onsite laundry | 1750 | 560 | 9,11 |
| France | Water Per Square Meter Outlier (L/M2) for limited service hotels in France without onsite laundry | 2890 | 430 | 9,11 |
| France | Water Per Square Meter Outlier (L/M2) for limited service hotels in France without onsite laundry | 2890 | 430 | 9,11 |
| France | Water Per Square Meter Outlier (L/M2) for limited service hotels in France without laundry data | 3060 | 710 | 9,11 |
| France | Water Per Square Meter Outlier (L/M2) for resort in France with onsite laundry | 21860 | 500 | 9,11 |
| France | Water Per Square Meter Outlier (L/M2) for resort in France without onsite laundry | 3270 | 370 | 9,11 |
| France | Water Per Square Meter Outlier (L/M2) for resort in France without onsite laundry | 3270 | 370 | 9,11 |
| France | Water Per Square Meter Outlier (L/M2) for resort in France without laundry data | 14970 | 690 | 9,11 |
| France | Water Per Square Meter Outlier (L/M2) for integrated resort in France with onsite laundry | 3680 | 1730 | 9,11 |
| France | Water Per Square Meter Outlier (L/M2) for integrated resort in France without onsite laundry | 3270 | 370 | 9,11 |
| France | Water Per Square Meter Outlier (L/M2) for integrated resort in France without onsite laundry | 3270 | 370 | 9,11 |
| France | Water Per Square Meter Outlier (L/M2) for integrated resort in France without laundry data | 14970 | 690 | 9,11 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|--|----------------|---------------|---------------------|
| Germany | Water Per Occupied Room Outlier (L/OCRM) for all hotels in Germany | 550 | 80 | 8,10 |
| Germany | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Germany | 850 | 100 | 8,10 |
| Germany | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Germany | 350 | 80 | 8,10 |
| Germany | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Germanywith onsite laundry | 5110 | 120 | 8,10 |
| Germany | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Germanywithout onsite laundry | 630 | 110 | 8,10 |
| Germany | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Germanywithout onsite laundry | 630 | 110 | 8,10 |
| Germany | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Germanywithout laundry data | 1620 | 270 | 8,10 |
| Germany | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Germanywith onsite laundry | 520 | 120 | 8,10 |
| Germany | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Germanywithout onsite laundry | 350 | 80 | 8,10 |
| Germany | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Germanywithout onsite laundry | 350 | 80 | 8,10 |
| Germany | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Germanywithout laundry data | 270 | 210 | 8,10 |
| Germany | Water Per Occupied Room Outlier (L/OCRM) for resort in Germanywith onsite laundry | 11270 | 300 | 8,10 |
| Germany | Water Per Occupied Room Outlier (L/OCRM) for resort in Germanywithout onsite laundry | 620 | 530 | 8,10 |
| Germany | Water Per Occupied Room Outlier (L/OCRM) for resort in Germanywithout onsite laundry | 620 | 530 | 8,10 |
| Germany | Water Per Occupied Room Outlier (L/OCRM) for resort in Germanywithout laundry data | 11270 | 300 | 8,10 |
| Germany | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Germanywith onsite laundry | 11270 | 300 | 8,10 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|---|----------------|---------------|---------------------|
| Germany | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Germanywithout onsite laundry | 620 | 530 | 8,10 |
| Germany | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Germanywithout onsite laundry | 620 | 530 | 8,10 |
| Germany | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Germanywithout laundry data | 11270 | 300 | 8,10 |
| Germany | Water Per Square Meter Outlier (L/M2) for all hotels in Germany | 11270 | 300 | 9,11 |
| Germany | Water Per Square Meter Outlier (L/M2) for full service hotels in Germany | 2300 | 530 | 9,11 |
| Germany | Water Per Square Meter Outlier (L/M2) for limited service hotels in Germany | 2320 | 470 | 9,11 |
| Germany | Water Per Square Meter Outlier (L/M2) for full service hotels in Germanywith onsite laundry | 7960 | 400 | 9,11 |
| Germany | Water Per Square Meter Outlier (L/M2) for full service hotels in Germanywithout onsite laundry | 2040 | 530 | 9,11 |
| Germany | Water Per Square Meter Outlier (L/M2) for full service hotels in Germanywithout onsite laundry | 2040 | 530 | 9,11 |
| Germany | Water Per Square Meter Outlier (L/M2) for full service hotels in Germanywithout laundry data | 8620 | 620 | 9,11 |
| Germany | Water Per Square Meter Outlier (L/M2) for limited service hotels in Germanywith onsite laundry | 7490 | 450 | 9,11 |
| Germany | Water Per Square Meter Outlier (L/M2) for limited service hotels in Germanywithout onsite laundry | 2320 | 460 | 9,11 |
| Germany | Water Per Square Meter Outlier (L/M2) for limited service hotels in Germanywithout onsite laundry | 2320 | 460 | 9,11 |
| Germany | Water Per Square Meter Outlier (L/M2) for limited service hotels in Germanywithout laundry data | 1810 | 960 | 9,11 |
| Germany | Water Per Square Meter Outlier (L/M2) for resort in Germanywith onsite laundry | 21860 | 500 | 9,11 |
| Germany | Water Per Square Meter Outlier (L/M2) for resort in Germanywithout onsite laundry | 14480 | 470 | 9,11 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|--|----------------|---------------|---------------------|
| Germany | Water Per Square Meter Outlier (L/M2) for resort in Germanywithout onsite laundry | 14480 | 470 | 9,11 |
| Germany | Water Per Square Meter Outlier (L/M2) for resort in Germanywithout laundry data | 14970 | 690 | 9,11 |
| Germany | Water Per Square Meter Outlier (L/M2) for integrated resort in Germanywith onsite laundry | 3680 | 1730 | 9,11 |
| Germany | Water Per Square Meter Outlier (L/M2) for integrated resort in Germanywithout onsite laundry | 4690 | 1130 | 9,11 |
| Germany | Water Per Square Meter Outlier (L/M2) for integrated resort in Germanywithout onsite laundry | 4690 | 1130 | 9,11 |
| Germany | Water Per Square Meter Outlier (L/M2) for integrated resort in Germanywithout laundry data | 14970 | 690 | 9,11 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|--|----------------|---------------|---------------------|
| India | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Indiawithout laundry data | 5120 | 920 | 8,10 |
| India | Water Per Square Meter Outlier (L/M2) for all hotels in India | 8080 | 640 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for full service hotels in India | 8640 | 690 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for limited service hotels in India | 6570 | 640 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for full service hotels in Indiawith onsite laundry | 10260 | 660 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for full service hotels in Indiawithout onsite laundry | 8080 | 600 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for full service hotels in Indiawithout onsite laundry | 8080 | 600 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for full service hotels in Indiawithout laundry data | 10260 | 660 | 9,11 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|---|----------------|---------------|---------------------|
| India | Water Per Square Meter Outlier (L/M2) for limited service hotels in Indiawith onsite laundry | 8440 | 600 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for limited service hotels in Indiawithout onsite laundry | 6290 | 620 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for limited service hotels in Indiawithout onsite laundry | 6290 | 620 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for limited service hotels in Indiawithout laundry data | 8440 | 600 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for resort in Indiawith onsite laundry | 11040 | 1200 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for resort in Indiawithout onsite laundry | 5940 | 1580 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for resort in Indiawithout onsite laundry | 5940 | 1580 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for resort in Indiawithout laundry data | 11040 | 1200 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for integrated resort in Indiawith onsite laundry | 11040 | 1200 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for integrated resort in Indiawithout onsite laundry | 5940 | 1580 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for integrated resort in Indiawithout onsite laundry | 5940 | 1580 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for integrated resort in Indiawithout laundry data | 11040 | 1200 | 9,11 |
| India | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Indiawithout laundry data | 5120 | 920 | 8,10 |
| India | Water Per Square Meter Outlier (L/M2) for all hotels in India | 8080 | 640 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for full service hotels in India | 8640 | 690 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for limited service hotels in India | 6570 | 640 | 9,11 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|---|----------------|---------------|---------------------|
| India | Water Per Square Meter Outlier (L/M2) for full service hotels in Indiawith onsite laundry | 10260 | 660 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for full service hotels in Indiawithout onsite laundry | 8080 | 600 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for full service hotels in Indiawithout onsite laundry | 8080 | 600 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for full service hotels in Indiawithout laundry data | 10260 | 660 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for limited service hotels in Indiawith onsite laundry | 8440 | 600 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for limited service hotels in Indiawithout onsite laundry | 6290 | 620 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for limited service hotels in Indiawithout onsite laundry | 6290 | 620 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for limited service hotels in Indiawithout laundry data | 8440 | 600 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for resort in Indiawith onsite laundry | 11040 | 1200 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for resort in Indiawithout onsite laundry | 5940 | 1580 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for resort in Indiawithout onsite laundry | 5940 | 1580 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for resort in Indiawithout laundry data | 11040 | 1200 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for integrated resort in Indiawith onsite laundry | 11040 | 1200 | 9,11 |
| India | Water Per Square Meter Outlier (L/M2) for integrated resort in Indiawithout onsite laundry | 5940 | 1580 | 9,11 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|-----------|--|----------------|---------------|---------------------|
| Indonesia | Water Per Occupied Room Outlier (L/OCRM) for all hotels in Indonesia | 7450 | 80 | 8,10 |
| Indonesia | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Indonesia | 9390 | 110 | 8,10 |
| Indonesia | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Indonesia | 1760 | 70 | 8,10 |
| Indonesia | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Indonesiawith onsite laundry | 10170 | 90 | 8,10 |
| Indonesia | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Indonesiawithout onsite laundry | 5570 | 340 | 8,10 |
| Indonesia | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Indonesiawithout onsite laundry | 5570 | 340 | 8,10 |
| Indonesia | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Indonesiawithout laundry data | 10170 | 90 | 8,10 |
| Indonesia | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Indonesiawith onsite laundry | 990 | 70 | 8,10 |
| Indonesia | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Indonesiawithout onsite laundry | 2070 | 90 | 8,10 |
| Indonesia | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Indonesiawithout onsite laundry | 2070 | 90 | 8,10 |
| Indonesia | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Indonesiawithout laundry data | 930 | 400 | 8,10 |
| Indonesia | Water Per Occupied Room Outlier (L/OCRM) for resort in Indonesiawith onsite laundry | 32520 | 260 | 8,10 |
| Indonesia | Water Per Occupied Room Outlier (L/OCRM) for resort in Indonesiawithout onsite laundry | 15330 | 360 | 8,10 |
| Indonesia | Water Per Occupied Room Outlier (L/OCRM) for resort in Indonesiawithout onsite laundry | 15330 | 360 | 8,10 |
| Indonesia | Water Per Occupied Room Outlier (L/OCRM) for resort in Indonesiawithout laundry data | 32520 | 260 | 8,10 |
| Indonesia | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Indonesiawith onsite laundry | 32520 | 260 | 8,10 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|-----------|---|----------------|---------------|---------------------|
| Indonesia | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Indonesiawithout onsite laundry | 15330 | 360 | 8,10 |
| Indonesia | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Indonesiawithout onsite laundry | 15330 | 360 | 8,10 |
| Indonesia | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Indonesiawithout laundry data | 32520 | 260 | 8,10 |
| Indonesia | Water Per Square Meter Outlier (L/M2) for all hotels in Indonesia | 7580 | 460 | 9,11 |
| Indonesia | Water Per Square Meter Outlier (L/M2) for full service hotels in Indonesia | 10730 | 400 | 9,11 |
| Indonesia | Water Per Square Meter Outlier (L/M2) for limited service hotels in Indonesia | 3770 | 580 | 9,11 |
| Indonesia | Water Per Square Meter Outlier (L/M2) for full service hotels in Indonesiawith onsite laundry | 9850 | 360 | 9,11 |
| Indonesia | Water Per Square Meter Outlier (L/M2) for full service hotels in Indonesiawithout onsite laundry | 9220 | 570 | 9,11 |
| Indonesia | Water Per Square Meter Outlier (L/M2) for full service hotels in Indonesiawithout onsite laundry | 9220 | 570 | 9,11 |
| Indonesia | Water Per Square Meter Outlier (L/M2) for full service hotels in Indonesiawithout laundry data | 9850 | 360 | 9,11 |
| Indonesia | Water Per Square Meter Outlier (L/M2) for limited service hotels in Indonesiawith onsite laundry | 3370 | 630 | 9,11 |
| Indonesia | Water Per Square Meter Outlier (L/M2) for limited service hotels in Indonesiawithout onsite laundry | 4590 | 630 | 9,11 |
| Indonesia | Water Per Square Meter Outlier (L/M2) for limited service hotels in Indonesiawithout onsite laundry | 4590 | 630 | 9,11 |
| Indonesia | Water Per Square Meter Outlier (L/M2) for limited service hotels in Indonesiawithout laundry data | 2360 | 600 | 9,11 |
| Indonesia | Water Per Square Meter Outlier (L/M2) for resort in Indonesiawith onsite laundry | 21860 | 500 | 9,11 |
| Indonesia | Water Per Square Meter Outlier (L/M2) for resort in Indonesiawithout onsite laundry | 13570 | 840 | 9,11 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|-----------|--|----------------|---------------|---------------------|
| Indonesia | Water Per Square Meter Outlier (L/M2) for resort in Indonesiawithout onsite laundry | 13570 | 840 | 9,11 |
| Indonesia | Water Per Square Meter Outlier (L/M2) for resort in Indonesiawithout laundry data | 14970 | 690 | 9,11 |
| Indonesia | Water Per Square Meter Outlier (L/M2) for integrated resort in Indonesiawith onsite laundry | 3680 | 1730 | 9,11 |
| Indonesia | Water Per Square Meter Outlier (L/M2) for integrated resort in Indonesiawithout onsite laundry | 13570 | 840 | 9,11 |
| Indonesia | Water Per Square Meter Outlier (L/M2) for integrated resort in Indonesiawithout onsite laundry | 13570 | 840 | 9,11 |
| Indonesia | Water Per Square Meter Outlier (L/M2) for integrated resort in Indonesiawithout laundry data | 14970 | 690 | 9,11 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|---|----------------|---------------|---------------------|
| Japan | Water Per Occupied Room Outlier (L/OCRM) for all hotels in Japan | 7450 | 120 | 8,10 |
| Japan | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Japan | 5200 | 340 | 8,10 |
| Japan | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Japan | 880 | 200 | 8,10 |
| Japan | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Japanwith onsite laundry | 3910 | 690 | 8,10 |
| Japan | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Japanwithout onsite laundry | 5040 | 320 | 8,10 |
| Japan | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Japanwithout onsite laundry | 5040 | 320 | 8,10 |
| Japan | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Japanwithout laundry data | 3910 | 690 | 8,10 |
| Japan | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Japanwith onsite laundry | 910 | 140 | 8,10 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|--|----------------|---------------|---------------------|
| Japan | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Japanwithout onsite laundry | 830 | 210 | 8,10 |
| Japan | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Japanwithout onsite laundry | 830 | 210 | 8,10 |
| Japan | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Japanwithout laundry data | 810 | 260 | 8,10 |
| Japan | Water Per Occupied Room Outlier (L/OCRM) for resort in Japanwith onsite laundry | 2520 | 1800 | 8,10 |
| Japan | Water Per Occupied Room Outlier (L/OCRM) for resort in Japanwithout onsite laundry | 6050 | 510 | 8,10 |
| Japan | Water Per Occupied Room Outlier (L/OCRM) for resort in Japanwithout onsite laundry | 6050 | 510 | 8,10 |
| Japan | Water Per Occupied Room Outlier (L/OCRM) for resort in Japanwithout laundry data | 2520 | 1800 | 8,10 |
| Japan | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Japanwith onsite laundry | 2520 | 1800 | 8,10 |
| Japan | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Japanwithout onsite laundry | 6050 | 510 | 8,10 |
| Japan | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Japanwithout onsite laundry | 6050 | 510 | 8,10 |
| Japan | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Japanwithout laundry data | 2520 | 1800 | 8,10 |
| Japan | Water Per Square Meter Outlier (L/M2) for all hotels in Japan | 6170 | 510 | 9,11 |
| Japan | Water Per Square Meter Outlier (L/M2) for full service hotels in Japan | 5380 | 780 | 9,11 |
| Japan | Water Per Square Meter Outlier (L/M2) for limited service hotels in Japan | 3690 | 480 | 9,11 |
| Japan | Water Per Square Meter Outlier (L/M2) for full service hotels in Japanwith onsite laundry | 5120 | 1450 | 9,11 |
| Japan | Water Per Square Meter Outlier (L/M2) for full service hotels in Japanwithout onsite laundry | 5940 | 630 | 9,11 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|---|----------------|---------------|---------------------|
| Japan | Water Per Square Meter Outlier (L/M2) for full service hotels in Japanwithout onsite laundry | 5940 | 630 | 9,11 |
| Japan | Water Per Square Meter Outlier (L/M2) for full service hotels in Japanwithout laundry data | 5120 | 1450 | 9,11 |
| Japan | Water Per Square Meter Outlier (L/M2) for limited service hotels in Japanwith onsite laundry | 2460 | 590 | 9,11 |
| Japan | Water Per Square Meter Outlier (L/M2) for limited service hotels in Japanwithout onsite laundry | 3100 | 480 | 9,11 |
| Japan | Water Per Square Meter Outlier (L/M2) for limited service hotels in Japanwithout onsite laundry | 3100 | 480 | 9,11 |
| Japan | Water Per Square Meter Outlier (L/M2) for limited service hotels in Japanwithout laundry data | 4240 | 620 | 9,11 |
| Japan | Water Per Square Meter Outlier (L/M2) for resort in Japanwith onsite laundry | 6770 | 1520 | 9,11 |
| Japan | Water Per Square Meter Outlier (L/M2) for resort in Japanwithout onsite laundry | 4870 | 730 | 9,11 |
| Japan | Water Per Square Meter Outlier (L/M2) for resort in Japanwithout onsite laundry | 4870 | 730 | 9,11 |
| Japan | Water Per Square Meter Outlier (L/M2) for resort in Japanwithout laundry data | 6770 | 1520 | 9,11 |
| Japan | Water Per Square Meter Outlier (L/M2) for integrated resort in Japanwith onsite laundry | 6770 | 1520 | 9,11 |
| Japan | Water Per Square Meter Outlier (L/M2) for integrated resort in Japanwithout onsite laundry | 4870 | 730 | 9,11 |
| Japan | Water Per Square Meter Outlier (L/M2) for integrated resort in Japanwithout onsite laundry | 4870 | 730 | 9,11 |
| Japan | Water Per Square Meter Outlier (L/M2) for integrated resort in Japanwithout laundry data | 6770 | 1520 | 9,11 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|---|----------------|---------------|---------------------|
| Mexico | Water Per Occupied Room Outlier (L/OCRM) for all hotels in Mexico | 3230 | 90 | 8,10 |
| Mexico | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Mexico | 5580 | 140 | 8,10 |
| Mexico | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Mexico | 990 | 100 | 8,10 |
| Mexico | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Mexicowith onsite laundry | 6290 | 160 | 8,10 |
| Mexico | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Mexicowithout onsite laundry | 4660 | 130 | 8,10 |
| Mexico | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Mexicowithout onsite laundry | 4660 | 130 | 8,10 |
| Mexico | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Mexicowithout laundry data | 6290 | 160 | 8,10 |
| Mexico | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Mexicowith onsite laundry | 870 | 110 | 8,10 |
| Mexico | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Mexicowithout onsite laundry | 960 | 140 | 8,10 |
| Mexico | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Mexicowithout onsite laundry | 960 | 140 | 8,10 |
| Mexico | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Mexicowithout laundry data | 870 | 110 | 8,10 |
| Mexico | Water Per Occupied Room Outlier (L/OCRM) for resort in Mexicowith onsite laundry | 7410 | 580 | 8,10 |
| Mexico | Water Per Occupied Room Outlier (L/OCRM) for resort in Mexicowithout onsite laundry | 10700 | 510 | 8,10 |
| Mexico | Water Per Occupied Room Outlier (L/OCRM) for resort in Mexicowithout onsite laundry | 10700 | 510 | 8,10 |
| Mexico | Water Per Occupied Room Outlier (L/OCRM) for resort in Mexicowithout laundry data | 7410 | 580 | 8,10 |
| Mexico | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Mexicowith onsite laundry | 7410 | 580 | 8,10 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|--|----------------|---------------|---------------------|
| Mexico | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Mexicowithout onsite laundry | 10700 | 510 | 8,10 |
| Mexico | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Mexicowithout onsite laundry | 10700 | 510 | 8,10 |
| Mexico | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Mexicowithout laundry data | 7410 | 580 | 8,10 |
| Mexico | Water Per Square Meter Outlier (L/M2) for all hotels in Mexico | 19250 | 200 | 9,11 |
| Mexico | Water Per Square Meter Outlier (L/M2) for full service hotels in Mexico | 16510 | 230 | 9,11 |
| Mexico | Water Per Square Meter Outlier (L/M2) for limited service hotels in Mexico | 4900 | 370 | 9,11 |
| Mexico | Water Per Square Meter Outlier (L/M2) for full service hotels in Mexicowith onsite laundry | 20970 | 130 | 9,11 |
| Mexico | Water Per Square Meter Outlier (L/M2) for full service hotels in Mexicowithout onsite laundry | 16490 | 250 | 9,11 |
| Mexico | Water Per Square Meter Outlier (L/M2) for full service hotels in Mexicowithout onsite laundry | 16490 | 250 | 9,11 |
| Mexico | Water Per Square Meter Outlier (L/M2) for full service hotels in Mexicowithout laundry data | 20970 | 130 | 9,11 |
| Mexico | Water Per Square Meter Outlier (L/M2) for limited service hotels in Mexicowith onsite laundry | 4350 | 430 | 9,11 |
| Mexico | Water Per Square Meter Outlier (L/M2) for limited service hotels in Mexicowithout onsite laundry | 5710 | 290 | 9,11 |
| Mexico | Water Per Square Meter Outlier (L/M2) for limited service hotels in Mexicowithout onsite laundry | 5710 | 290 | 9,11 |
| Mexico | Water Per Square Meter Outlier (L/M2) for limited service hotels in Mexicowithout laundry data | 4350 | 430 | 9,11 |
| Mexico | Water Per Square Meter Outlier (L/M2) for resort in Mexicowith onsite laundry | 19700 | 2770 | 9,11 |
| Mexico | Water Per Square Meter Outlier (L/M2) for resort in Mexicowithout onsite laundry | 12970 | 1750 | 9,11 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------|---|----------------|---------------|---------------------|
| Mexico | Water Per Square Meter Outlier (L/M2) for resort in Mexicowithout onsite laundry | 12970 | 1750 | 9,11 |
| Mexico | Water Per Square Meter Outlier (L/M2) for resort in Mexicowithout laundry data | 19700 | 2770 | 9,11 |
| Mexico | Water Per Square Meter Outlier (L/M2) for integrated resort in Mexicowith onsite laundry | 19700 | 2770 | 9,11 |
| Mexico | Water Per Square Meter Outlier (L/M2) for integrated resort in Mexicowithout onsite laundry | 12970 | 1750 | 9,11 |
| Mexico | Water Per Square Meter Outlier (L/M2) for integrated resort in Mexicowithout onsite laundry | 12970 | 1750 | 9,11 |
| Mexico | Water Per Square Meter Outlier (L/M2) for integrated resort in Mexicowithout laundry data | 19700 | 2770 | 9,11 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|----------|--|----------------|---------------|---------------------|
| Thailand | Water Per Occupied Room Outlier (L/OCRM) for all hotels in Thailand | 8590 | 100 | 8,10 |
| Thailand | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Thailand | 7350 | 270 | 8,10 |
| Thailand | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Thailand | 1510 | 100 | 8,10 |
| Thailand | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Thailandwith onsite laundry | 11640 | 110 | 8,10 |
| Thailand | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Thailandwithout onsite laundry | 6800 | 310 | 8,10 |
| Thailand | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Thailandwithout onsite laundry | 6800 | 310 | 8,10 |
| Thailand | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in Thailandwithout laundry data | 11640 | 110 | 8,10 |
| Thailand | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Thailandwith onsite laundry | 1920 | 80 | 8,10 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|----------|---|----------------|---------------|---------------------|
| Thailand | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Thailandwithout onsite laundry | 1680 | 110 | 8,10 |
| Thailand | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Thailandwithout onsite laundry | 1680 | 110 | 8,10 |
| Thailand | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in Thailandwithout laundry data | 570 | 320 | 8,10 |
| Thailand | Water Per Occupied Room Outlier (L/OCRM) for resort in Thailandwith onsite laundry | 10630 | 490 | 8,10 |
| Thailand | Water Per Occupied Room Outlier (L/OCRM) for resort in Thailandwithout onsite laundry | 8830 | 200 | 8,10 |
| Thailand | Water Per Occupied Room Outlier (L/OCRM) for resort in Thailandwithout onsite laundry | 8830 | 200 | 8,10 |
| Thailand | Water Per Occupied Room Outlier (L/OCRM) for resort in Thailandwithout laundry data | 10630 | 490 | 8,10 |
| Thailand | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Thailandwith onsite laundry | 10630 | 490 | 8,10 |
| Thailand | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Thailandwithout onsite laundry | 8830 | 200 | 8,10 |
| Thailand | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Thailandwithout onsite laundry | 8830 | 200 | 8,10 |
| Thailand | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in Thailandwithout laundry data | 10630 | 490 | 8,10 |
| Thailand | Water Per Square Meter Outlier (L/M2) for all hotels in Thailand | 12600 | 330 | 9,11 |
| Thailand | Water Per Square Meter Outlier (L/M2) for full service hotels in Thailand | 16630 | 380 | 9,11 |
| Thailand | Water Per Square Meter Outlier (L/M2) for limited service hotels in Thailand | 5680 | 260 | 9,11 |
| Thailand | Water Per Square Meter Outlier (L/M2) for full service hotels in Thailandwith onsite laundry | 14090 | 370 | 9,11 |
| Thailand | Water Per Square Meter Outlier (L/M2) for full service hotels in Thailandwithout onsite laundry | 16650 | 480 | 9,11 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|----------|--|----------------|---------------|---------------------|
| Thailand | Water Per Square Meter Outlier (L/M2) for full service hotels in Thailandwithout onsite laundry | 16650 | 480 | 9,11 |
| Thailand | Water Per Square Meter Outlier (L/M2) for full service hotels in Thailandwithout laundry data | 14090 | 370 | 9,11 |
| Thailand | Water Per Square Meter Outlier (L/M2) for limited service hotels in Thailandwith onsite laundry | 4270 | 190 | 9,11 |
| Thailand | Water Per Square Meter Outlier (L/M2) for limited service hotels in Thailandwithout onsite laundry | 3780 | 640 | 9,11 |
| Thailand | Water Per Square Meter Outlier (L/M2) for limited service hotels in Thailandwithout onsite laundry | 3780 | 640 | 9,11 |
| Thailand | Water Per Square Meter Outlier (L/M2) for limited service hotels in Thailandwithout laundry data | 3210 | 350 | 9,11 |
| Thailand | Water Per Square Meter Outlier (L/M2) for resort in Thailandwith onsite laundry | 17880 | 970 | 9,11 |
| Thailand | Water Per Square Meter Outlier (L/M2) for resort in Thailandwithout onsite laundry | 20550 | 520 | 9,11 |
| Thailand | Water Per Square Meter Outlier (L/M2) for resort in Thailandwithout onsite laundry | 20550 | 520 | 9,11 |
| Thailand | Water Per Square Meter Outlier (L/M2) for resort in Thailandwithout laundry data | 17880 | 970 | 9,11 |
| Thailand | Water Per Square Meter Outlier (L/M2) for integrated resort in Thailandwith onsite laundry | 17880 | 970 | 9,11 |
| Thailand | Water Per Square Meter Outlier (L/M2) for integrated resort in Thailandwithout onsite laundry | 20550 | 520 | 9,11 |
| Thailand | Water Per Square Meter Outlier (L/M2) for integrated resort in Thailandwithout onsite laundry | 20550 | 520 | 9,11 |
| Thailand | Water Per Square Meter Outlier (L/M2) for integrated resort in Thailandwithout laundry data | 17880 | 970 | 9,11 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|----------------|---|----------------|---------------|---------------------|
| United Kingdom | Water Per Occupied Room Outlier (L/OCRM) for all hotels in United Kingdom | 790 | 90 | 8,10 |
| United Kingdom | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in United Kingdom | 900 | 130 | 8,10 |
| United Kingdom | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in United Kingdom | 440 | 90 | 8,10 |
| United Kingdom | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in United Kingdomwith onsite laundry | 1610 | 80 | 8,10 |
| United Kingdom | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in United Kingdomwithout onsite laundry | 810 | 140 | 8,10 |
| United Kingdom | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in United Kingdomwithout onsite laundry | 810 | 140 | 8,10 |
| United Kingdom | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in United Kingdomwithout laundry data | 60 | 50 | 8,10 |
| United Kingdom | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in United Kingdomwith onsite laundry | 420 | 100 | 8,10 |
| United Kingdom | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in United Kingdomwithout onsite laundry | 420 | 90 | 8,10 |
| United Kingdom | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in United Kingdomwithout onsite laundry | 420 | 90 | 8,10 |
| United Kingdom | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in United Kingdomwithout laundry data | 430 | 160 | 8,10 |
| United Kingdom | Water Per Occupied Room Outlier (L/OCRM) for resort in United Kingdomwith onsite laundry | 210 | 170 | 8,10 |
| United Kingdom | Water Per Occupied Room Outlier (L/OCRM) for resort in United Kingdomwithout onsite laundry | 1460 | 1450 | 8,10 |
| United Kingdom | Water Per Occupied Room Outlier (L/OCRM) for resort in United Kingdomwithout onsite laundry | 1460 | 1450 | 8,10 |
| United Kingdom | Water Per Occupied Room Outlier (L/OCRM) for resort in United Kingdomwithout laundry data | 210 | 170 | 8,10 |
| United Kingdom | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in United Kingdomwith onsite laundry | 210 | 170 | 8,10 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|----------------|--|----------------|---------------|---------------------|
| United Kingdom | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in United Kingdomwithout onsite laundry | 1460 | 1450 | 8,10 |
| United Kingdom | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in United Kingdomwithout onsite laundry | 1460 | 1450 | 8,10 |
| United Kingdom | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in United Kingdomwithout laundry data | 210 | 170 | 8,10 |
| United Kingdom | Water Per Square Meter Outlier (L/M2) for all hotels in United Kingdom | 3910 | 460 | 9,11 |
| United Kingdom | Water Per Square Meter Outlier (L/M2) for full service hotels in United Kingdom | 3920 | 470 | 9,11 |
| United Kingdom | Water Per Square Meter Outlier (L/M2) for limited service hotels in United Kingdom | 4010 | 420 | 9,11 |
| United Kingdom | Water Per Square Meter Outlier (L/M2) for full service hotels in United Kingdomwith onsite laundry | 6730 | 290 | 9,11 |
| United Kingdom | Water Per Square Meter Outlier (L/M2) for full service hotels in United Kingdomwithout onsite laundry | 3670 | 490 | 9,11 |
| United Kingdom | Water Per Square Meter Outlier (L/M2) for full service hotels in United Kingdomwithout onsite laundry | 3670 | 490 | 9,11 |
| United Kingdom | Water Per Square Meter Outlier (L/M2) for full service hotels in United Kingdomwithout laundry data | 6730 | 290 | 9,11 |
| United Kingdom | Water Per Square Meter Outlier (L/M2) for limited service hotels in United Kingdomwith onsite laundry | 3110 | 380 | 9,11 |
| United Kingdom | Water Per Square Meter Outlier (L/M2) for limited service hotels in United Kingdomwithout onsite laundry | 4110 | 440 | 9,11 |
| United Kingdom | Water Per Square Meter Outlier (L/M2) for limited service hotels in United Kingdomwithout onsite laundry | 4110 | 440 | 9,11 |
| United Kingdom | Water Per Square Meter Outlier (L/M2) for limited service hotels in United Kingdomwithout laundry data | 1970 | 1500 | 9,11 |
| United Kingdom | Water Per Square Meter Outlier (L/M2) for resort in United Kingdomwith onsite laundry | 1330 | 640 | 9,11 |
| United Kingdom | Water Per Square Meter Outlier (L/M2) for resort in United Kingdomwithout onsite laundry | 1330 | 640 | 9,11 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|----------------|---|----------------|---------------|---------------------|
| United Kingdom | Water Per Square Meter Outlier (L/M2) for resort in United Kingdomwithout onsite laundry | 1330 | 640 | 9,11 |
| United Kingdom | Water Per Square Meter Outlier (L/M2) for resort in United Kingdomwithout laundry data | 1330 | 640 | 9,11 |
| United Kingdom | Water Per Square Meter Outlier (L/M2) for integrated resort in United Kingdomwith onsite laundry | 1330 | 640 | 9,11 |
| United Kingdom | Water Per Square Meter Outlier (L/M2) for integrated resort in United Kingdomwithout onsite laundry | 1330 | 640 | 9,11 |
| United Kingdom | Water Per Square Meter Outlier (L/M2) for integrated resort in United Kingdomwithout onsite laundry | 1330 | 640 | 9,11 |
| United Kingdom | Water Per Square Meter Outlier (L/M2) for integrated resort in United Kingdomwithout laundry data | 1330 | 640 | 9,11 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------------|--|----------------|---------------|---------------------|
| United States | Water Per Occupied Room Outlier (L/OCRM) for all hotels in United States | 1050 | 160 | 8,10 |
| United States | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in United States | 1470 | 190 | 8,10 |
| United States | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in United States | 900 | 160 | 8,10 |
| United States | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in United Stateswith onsite laundry | 1630 | 190 | 8,10 |
| United States | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in United Stateswithout onsite laundry | 1400 | 190 | 8,10 |
| United States | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in United Stateswithout onsite laundry | 1400 | 190 | 8,10 |
| United States | Water Per Occupied Room Outlier (L/OCRM) for full service hotels in United Stateswithout laundry data | 2130 | 230 | 8,10 |
| United States | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in United Stateswith onsite laundry | 930 | 170 | 8,10 |
| United States | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in United Stateswithout onsite laundry | 860 | 160 | 8,10 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------------|---|----------------|---------------|---------------------|
| United States | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in United States without onsite laundry | 860 | 160 | 8,10 |
| United States | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels in United States without laundry data | 930 | 170 | 8,10 |
| United States | Water Per Occupied Room Outlier (L/OCRM) for resort in United States with onsite laundry | 6850 | 190 | 8,10 |
| United States | Water Per Occupied Room Outlier (L/OCRM) for resort in United States without onsite laundry | 6760 | 210 | 8,10 |
| United States | Water Per Occupied Room Outlier (L/OCRM) for resort in United States without onsite laundry | 6760 | 210 | 8,10 |
| United States | Water Per Occupied Room Outlier (L/OCRM) for resort in United States without laundry data | 6850 | 190 | 8,10 |
| United States | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in United States with onsite laundry | 6850 | 190 | 8,10 |
| United States | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in United States without onsite laundry | 6760 | 210 | 8,10 |
| United States | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in United States without onsite laundry | 6760 | 210 | 8,10 |
| United States | Water Per Occupied Room Outlier (L/OCRM) for integrated resort in United States without laundry data | 6850 | 190 | 8,10 |
| United States | Water Per Square Meter Outlier (L/M2) for all hotels in United States | 4900 | 650 | 9,11 |
| United States | Water Per Square Meter Outlier (L/M2) for full service hotels in United States | 5430 | 580 | 9,11 |
| United States | Water Per Square Meter Outlier (L/M2) for limited service hotels in United States | 4750 | 670 | 9,11 |
| United States | Water Per Square Meter Outlier (L/M2) for full service hotels in United States with onsite laundry | 7050 | 440 | 9,11 |
| United States | Water Per Square Meter Outlier (L/M2) for full service hotels in United States without onsite laundry | 4850 | 650 | 9,11 |
| United States | Water Per Square Meter Outlier (L/M2) for full service hotels in United States without onsite laundry | 4850 | 650 | 9,11 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|---------------|--|----------------|---------------|---------------------|
| United States | Water Per Square Meter Outlier (L/M2) for full service hotels in United States without laundry data | 8620 | 620 | 9,11 |
| United States | Water Per Square Meter Outlier (L/M2) for limited service hotels in United States with onsite laundry | 5290 | 600 | 9,11 |
| United States | Water Per Square Meter Outlier (L/M2) for limited service hotels in United States without onsite laundry | 4150 | 760 | 9,11 |
| United States | Water Per Square Meter Outlier (L/M2) for limited service hotels in United States without onsite laundry | 4150 | 760 | 9,11 |
| United States | Water Per Square Meter Outlier (L/M2) for limited service hotels in United States without laundry data | 5290 | 600 | 9,11 |
| United States | Water Per Square Meter Outlier (L/M2) for resort in United States with onsite laundry | 18650 | 440 | 9,11 |
| United States | Water Per Square Meter Outlier (L/M2) for resort in United States without onsite laundry | 11510 | 680 | 9,11 |
| United States | Water Per Square Meter Outlier (L/M2) for resort in United States without onsite laundry | 11510 | 680 | 9,11 |
| United States | Water Per Square Meter Outlier (L/M2) for resort in United States without laundry data | 14970 | 690 | 9,11 |
| United States | Water Per Square Meter Outlier (L/M2) for integrated resort in United States with onsite laundry | 2830 | 1960 | 9,11 |
| United States | Water Per Square Meter Outlier (L/M2) for integrated resort in United States without onsite laundry | 4350 | 1050 | 9,11 |
| United States | Water Per Square Meter Outlier (L/M2) for integrated resort in United States without onsite laundry | 4350 | 1050 | 9,11 |
| United States | Water Per Square Meter Outlier (L/M2) for integrated resort in United States without laundry data | 14970 | 690 | 9,11 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|-----------------|--|----------------|---------------|---------------------|
| Other Countries | Water Per Occupied Room Outlier (L/OCRM) for all hotels | 1470 | 120 | 8,10 |
| Other Countries | Water Per Occupied Room Outlier (L/OCRM) for full service hotels | 3450 | 120 | 8,10 |
| Other Countries | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels | 990 | 120 | 8,10 |
| Other Countries | Water Per Occupied Room Outlier (L/OCRM) for full service hotels with onsite laundry | 5110 | 120 | 8,10 |
| Other Countries | Water Per Occupied Room Outlier (L/OCRM) for full service hotels without onsite laundry | 2560 | 120 | 8,10 |
| Other Countries | Water Per Occupied Room Outlier (L/OCRM) for full service hotels without onsite laundry | 2560 | 120 | 8,10 |
| Other Countries | Water Per Occupied Room Outlier (L/OCRM) for full service hotels without laundry data | 1620 | 270 | 8,10 |
| Other Countries | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels with onsite laundry | 980 | 150 | 8,10 |
| Other Countries | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels without onsite laundry | 960 | 110 | 8,10 |
| Other Countries | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels without onsite laundry | 960 | 110 | 8,10 |
| Other Countries | Water Per Occupied Room Outlier (L/OCRM) for limited service hotels without laundry data | 1120 | 120 | 8,10 |
| Other Countries | Water Per Occupied Room Outlier (L/OCRM) for resort with onsite laundry | 11270 | 300 | 8,10 |
| Other Countries | Water Per Occupied Room Outlier (L/OCRM) for resort without onsite laundry | 10200 | 180 | 8,10 |
| Other Countries | Water Per Occupied Room Outlier (L/OCRM) for resort without onsite laundry | 10200 | 180 | 8,10 |
| Other Countries | Water Per Occupied Room Outlier (L/OCRM) for resort without laundry data | 11270 | 300 | 8,10 |
| Other Countries | Water Per Occupied Room Outlier (L/OCRM) for integrated resort with onsite laundry | 11270 | 300 | 8,10 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|-----------------|---|----------------|---------------|---------------------|
| Other Countries | Water Per Occupied Room Outlier (L/OCRM) for integrated resort without onsite laundry | 10200 | 180 | 8,10 |
| Other Countries | Water Per Occupied Room Outlier (L/OCRM) for integrated resort without onsite laundry | 10200 | 180 | 8,10 |
| Other Countries | Water Per Occupied Room Outlier (L/OCRM) for integrated resort without laundry data | 11270 | 300 | 8,10 |
| Other Countries | Water Per Square Meter Outlier (L/M2) for all hotels | 5170 | 510 | 9,11 |
| Other Countries | Water Per Square Meter Outlier (L/M2) for full service hotels | 6050 | 450 | 9,11 |
| Other Countries | Water Per Square Meter Outlier (L/M2) for limited service hotels | 4730 | 560 | 9,11 |
| Other Countries | Water Per Square Meter Outlier (L/M2) for full service hotels with onsite laundry | 7960 | 400 | 9,11 |
| Other Countries | Water Per Square Meter Outlier (L/M2) for full service hotels without onsite laundry | 5290 | 480 | 9,11 |
| Other Countries | Water Per Square Meter Outlier (L/M2) for full service hotels without onsite laundry | 5290 | 480 | 9,11 |
| Other Countries | Water Per Square Meter Outlier (L/M2) for full service hotels without laundry data | 8620 | 620 | 9,11 |
| Other Countries | Water Per Square Meter Outlier (L/M2) for limited service hotels with onsite laundry | 5260 | 550 | 9,11 |
| Other Countries | Water Per Square Meter Outlier (L/M2) for limited service hotels without onsite laundry | 4200 | 580 | 9,11 |
| Other Countries | Water Per Square Meter Outlier (L/M2) for limited service hotels without onsite laundry | 4200 | 580 | 9,11 |
| Other Countries | Water Per Square Meter Outlier (L/M2) for limited service hotels without laundry data | 3140 | 320 | 9,11 |
| Other Countries | Water Per Square Meter Outlier (L/M2) for resort with onsite laundry | 21860 | 500 | 9,11 |
| Other Countries | Water Per Square Meter Outlier (L/M2) for resort without onsite laundry | 14480 | 470 | 9,11 |

| Country | Description | High Threshold | Low Threshold | Associated Measures |
|-----------------|--|----------------|---------------|---------------------|
| Other Countries | Water Per Square Meter Outlier (L/M2) for resort without onsite laundry | 14480 | 470 | 9,11 |
| Other Countries | Water Per Square Meter Outlier (L/M2) for resort without laundry data | 14970 | 690 | 9,11 |
| Other Countries | Water Per Square Meter Outlier (L/M2) for integrated resort with onsite laundry | 3680 | 1730 | 9,11 |
| Other Countries | Water Per Square Meter Outlier (L/M2) for integrated resort without onsite laundry | 4690 | 1130 | 9,11 |
| Other Countries | Water Per Square Meter Outlier (L/M2) for integrated resort without onsite laundry | 4690 | 1130 | 9,11 |
| Other Countries | Water Per Square Meter Outlier (L/M2) for integrated resort without laundry data | 14970 | 690 | 9,11 |